

1997-1998 Sonora Central Ram Performance Test February 18, 1998

R										R									
Age Start					Mean Diameter					Age Start					Mean Diameter				
e Test Flock		Birth Birth of		Wt. Wt.		__(microns)__			e Test Flock		Birth Birth of		Wt. Wt.		__(microns)__				
g No.	No.	date	type	Dam	10/1	1/7	ADG	Side	Britch	g No.	No.	date	type	Dam	10/1	1/7	ADG	Side	Britch
Rose, Pat III, BRACKETTVILLE										Menzies, Scotty, MENARD									
Sire:ASU 4726										Sire:S MENZIES 801									
Reg 1	R4355	2/2/97	S	6	127	208	.83	22.4	25.2	Reg 25	SM 870	11/26/96	S	6	152	218	.67	23.8	27.7
Reg 2	R4361	2/4/97	TW	3	124	205	.83	25.2*	26.8	Reg 26	SM 871	12/14/96	TW	7	153	238	.87	22.2	26.8
Reg 3	R4373	2/7/97	TR	4	137	215	.80	23.2	24.8										
Reg 4	R4381	2/8/97	S	3	129	196	.68	21.8	24.7										
Sire:P ROSE R3653										Menzies, C & S, SAN ANGELO									
Reg 5	R4463	3/8/97	TW	6	107	180	.74	22.6	25.4	Sire:C&S MENZIES 1325									
Sire:P ROSE R3865										Reg 27 1924 12/.96 TW 5 190 248 .59 23.0 25.4									
Reg 6	R4407	2/19/97	TW	9	116	216	1.02	21.2	25.3	Sire:C&S MENZIES 1711									
Reg 7	R4497	3/14/97	S	9	132	218	.88	22.6	27.1	Reg 28	2069	3/./97	TW	1	136	191	.56	22.5	24.6
Reg 8	R4505	3/19/97	S	3	117	192	.77	19.5	23.5	Sire:C&S MENZIES 1843									
Sire:P ROSE R4209										Reg 29 2092 3/./97 S 6 136 213 .79 25.1* 29.2*									
Reg 9	R4455	3/8/97	TW	2	140	209	.70	20.4	23.4	Reg 30	2096	3/./97	S	3	142	239	.99	24.4	28.2*
Reg 10	R4491	3/13/97	S	3	123	218	.97	19.7	21.8	Reg 31	2097	3/./97	S	3	128	241	1.15	26.3*	27.9*
										Reg 32 2103 3/./97 S 5 132 214 .84 24.3 28.1*									
										Reg 33 2112 2/./97 S 3 142 226 .86 24.3 27.3									
Lykins, Doyle, SAN ANGELO										Sire:C&S MENZIES 1856									
Sire:P ROSE R3761										Reg 34 2037 3/./97 TW 2 133 214 .83 22.5 25.4									
Reg 11	706	2/./97	S	5	137	229	.94	22.5	26.2										
Reg 13	719	2/./97	TW	7	120	218	1.00	20.1	22.9										
										Landers Ranch, MENARD									
										Sire:ECKHOFF 0400									
Walking Bars, Marck Schafer, GARDEN CITY										Reg 35 489 2/./97 S 4 140 207 .68 23.5 27.5									
Sire:C&S MENZIES 1325										Reg 36 491 2/./97 S 3 137 217 .82 22.6 26.4									
Reg 14	2491	3/./97	TW	2	128	205	.79	22.0	24.5	Reg 37	498	2/./97	S	3	150	231	.83	22.7	24.0
Sire:WB 2275										Reg 38 509 2/./97 S 6 120 205 .87 23.6 26.7									
Reg 16	2824	3/./97	S	2	146	213	.68	21.7	24.2										
Sire:WB 2405																			
Reg 17	2715	3/./97	S	4	177	263	.88	24.2	28.5*	Evans U-BAR Ranch, BRACKETTVILLE									
										Sire:R-J 243									
										Reg 39 7014 1/./97 S 5 154 221 .68 23.6 25.1									
Dry Creek Co., Schlinke, SAN ANGELO										Reg 40 7027 1/./97 S 5 160 268 1.10 23.1 26.0									
Sire:R-J 5176										Reg 41 7028 1/./97 S 5 148 244 .98 21.8 23.6									
Com 18	152	2/./97	TW	3	172	235	.64	23.1	26.7										
Com 19	158	2/./97	TW	6	146	225	.81	23.2	25.5										
Com 20	170	2/./97	S	3	130	200	.71	20.6	23.4	Highland Ramb., J. White III, MARFA									
Com 21	179	2/./97	S	6	139	212	.74	23.8	26.1	Sire:R-J 5064									
										Reg 42 0002 2/12/97 S 4 151 234 .85 22.6 27.2									
										Reg 43 0003 2/12/97 S 4 165 254 .91 21.3 24.7									
Angelo State Univ., SAN ANGELO										Reg 44 0093 2/11/97 S 3 163 234 .72 22.8 24.0									
Sire:ASU 4915										Reg 45 0094 2/11/97 S 3 135 227 .94 24.3 26.3									
Reg 22	5219	11/2/96	TW	4	161	211	.51	22.3	25.2	Reg 46	0095	2/8/97	S	4	159	237	.80	22.2	24.5
Reg 23	5223	2/22/97	S	7	152	244	.94	21.8	27.1	Reg 47	0098	2/9/97		4	137	227	.92	22.5	25.6
Sire:P ROSE R4003										Reg 48 0099 2/7/97 S 2 148 248 1.02 25.5* 27.9*									
Reg 24	4798	11/8/96	S	6	191	263	.73	21.8	24.7	Reg 49	0978	2/14/97	S	3	149	234	.87	21.8	25.8
										Reg 50 0983 2/16/97 S 3 168 260 .94 22.1 24.5									
										Reg 51 0995 2/20/97 S 6 157 243 .88 23.7 25.9									

P before the test number designates a Polled ram
 * after a value means this ram is not eligible for certification

1997-1998 Sonora Central Ram Performance Test February 18, 1998

1997-1998 Sonora Central Ram Performance Test February 18, 1998															
R						R									
e Test Flock		Age Start		Mean Diameter		e Test Flock		Age Start		Mean Diameter					
g No.	No.	date	type	Dam	10/1 1/7 ADG	Side	Birth	g No.	No.	date	type				
				Wt. Wt. (microns)						Wt. Wt. (microns)					
				Side		Britch				Side					
Zuberbueler, Bill, COMSTOCK															
Sire:C&S MENZIES 1444						Sire:TAES 5795									
Reg	53 898	2/	./97	TW	3 128 231	1.05	25.3*	25.0	Reg	67 2620	11/30/96	S 4 186 271	.87	23.1	26.6
Sire:Z 779						Reg 69 2640 2/./97 S 4 134 224 .92 23.3 27.4									
Reg	54 883	2/	./97	S	2 129 209	.82	20.6	22.5	Reg	70 2645	2/./97	S 6 133 230	.99	23.2	26.2
Reg 72 2670 3/./97 S 2 145 223 .80 21.0 25.9						Reg 74 2678 3/./97 S 6 143 214 .72 20.2 23.9									
T Star Ranch, Tim Turner, SAN ANGELO															
Sire:TURNER 36						Reg 75 2696 3/./97 S 3 137 206 .70 20.0 23.3									
Com	55 21	2/13/97	TW	4 115 183	.69	20.7	24.9	Reg	76 2702	3/./97	TR 3 111 187	.78	22.1	25.2	
Sire:TURNER 51						Reg 77 2703 3/./97 TR 3 113 195 .84 20.6 24.8									
Com	56 22	2/18/97	S	4 131 224	.95	20.6	23.9	Reg	79 2737	3/./97	S 6 126 212	.88	22.0	25.6	
Sire:TAES B2452						Reg 80 2629 2/./97 S 3 145 235 .92 24.6 28.3*									
Mallet, Mike, LAMPASAS															
Sire:D ECKHOFF 0261						Reg 81 2732 3/./97 S 2 128 206 .80 22.5 24.0									
Reg	57 29	3/2/97	TW	2 151 223	.73	24.7	26.6	Hill Country Rambouillet, SONORA							
Sire:B FARIS 325						Reg 82 462 1/./97 TW 6 134 221 .89 22.0 26.8									
Eckhoff, Val Gene, BEND						Reg 83 463 1/./97 S 5 114 221 1.09 23.7 24.6									
Sire:C&S MENZIES 1687						Reg 84 466 1/./97 S 4 127 231 1.06 24.9 27.9*									
Reg	58 420	1/25/97	S	3 159 241	.84	25.0*	29.4*	Sire:B FARIS 392							
Reg 85 451 2/./97 TW 5 115 219 1.06 23.5 26.6						Reg 86 454 2/./97 TW 7 117 219 1.04 23.6 26.1									
Campbell, Fred, PAINT ROCK															
Sire:P ROSE R3391						Reg 87 455 2/./97 S 4 167 247 .82 23.0 25.8									
Reg	59 1	1/5/97	TW	2 162 259	.99	22.4	26.1	Our Father's Place, Moore, FT. STOCKTON							
Reg	60 5343	12/5/96	S	. 146 212	.67	24.3	27.7	Sire:OFP GENERAL							
Reg	P 61 5356	12/21/96	TW	. 149 222	.74	24.2	27.0	Com 88 754 4/22/97 . 116 177 .62 21.5 24.8							
Reg	62 5379	1/8/97	S	. 149 251	1.04	20.0	23.9	Com 89 799 1/10/97 3 145 227 .84 23.9 27.0							
Reg	63 5395	1/16/97	S	. 145 232	.89	21.7	24.9	Sire:R-J 3188							
Reg	64 5397	1/18/97	S	. 165 247	.84	24.2	26.6	Com 90 701 1/29/97 S 9 160 223 .64 21.7 26.4							
Reg	65 5399	1/19/97	S	. 155 252	.99	24.6	26.7	Com 91 702 1/30/97 TW 4 154 242 .90 20.1 23.0							
Reg	66 5409	1/21/97	TW	. 128 202	.76	20.0	24.3	Com 92 703 1/30/97 TW 4 110 186 .78 22.7 24.0							
Com 93 705 2/2/97 TW 5 142 233 .93 22.2 25.8						Com 94 706 2/2/97 S 4 177 267 .92 22.0 24.4									
Com 95 707 2/2/97 TW 3 123 209 .88 23.2 25.1						Com 96 710 2/3/97 S 9 135 239 1.06 24.3 26.7									
Com 98 712 2/4/97 S 6 153 245 .94 21.7 25.2						Com 99 716 2/8/97 TW 7 140 210 .71 23.0 24.3									
Com 100 717 2/8/97 TW 4 145 237 .94 23.3 24.8						Com 101 719 2/8/97 TW 4 146 243 .99 21.8 25.2									
Com 102 720 2/8/97 TW 4 132 214 .84 18.8 22.8						Com 103 730 2/16/97 TW 4 135 229 .96 21.8 24.6									
Com 104 738 3/6/97 S 4 126 199 .74 23.0 23.3						Com 105 745 3/22/97 S 1 127 221 .96 23.7 26.6									

P before the test number designates a Polled ram
 * after a value means this ram is not eligible for certification

1997-1998 Sonora Central Ram Performance Test February 18, 1998

TAES, Sonora, SONORA										Gainer Ranch, MENARD											
Sire:TAES 5873					Sire:C&S MENZIES 1771																
R	Age Start	Mean Diameter	R	Age Start	Mean Diameter	e Test Flock	Birth	Birth of	Wt.	Wt.	__(microns)__	e Test Flock	Birth	Birth of	Wt.	Wt.	__(microns)__				
g No.	No.	date	type	Dam	10/1	1/7	ADG	Side	Britch		g No.	No.	date	type	Dam	10/1	1/7	ADG	Side	Britch	
Reg 106	6588	3/	/97	S	4	134	210	.78	21.2	23.4	Reg 124	9700	10/15/96	S	9	202	255	.54	24.4	28.3*	
Sire:TAES 6014					Reg 126 9709					10/29/96 TW 2 190 266 .78 19.7 23.0											
Reg 107	6583	3/	/97	TW	5	122	199	.79	21.6	24.1	Reg 127	9711	10/29/96	TW	3	217	258	.42	21.7	24.8	
Reg 108	6600	3/	/97	TW	5	139	214	.77	24.4	26.8	Reg 128	9712	11/3/96	TW	2	200	261	.62	22.9	27.2	
Sire:TAES B1975					Reg 129 9715					10/31/96 TW 3 158 244 .88 20.7 23.3											
Reg 109	6645	3/	/97	TW	3	108	175	.68	22.3	24.9	Reg 130	9726	11/3/96	TW	2	172	218	.47	25.1*	29.4*	
Reg 110	6646	3/	/97	S	3	149	238	.91	19.3	23.4	Reg 131	9729	11/15/96	TW	2	154	234	.82	23.0	25.6	
Reg 111	6648	3/	/97	S	6	134	219	.87	21.3	24.3	Sire:TAES 6199										
Reg 112	6650	3/	/97	TW	6	128	204	.78	19.0	23.4	Reg 134	9769	3/18/97	TW	2	120	205	.87	24.0	26.1	
Sire:TAES B2202					Reg 135 9774					3/17/97 TW 2 126 201 .77 20.9 23.1											
Reg 113	6612	3/	/97	TW	6	123	213	.92	21.6	24.3	Reg 137	9789	4/1/97	TW	2	127	204	.79	23.4	26.2	
Reg 114	6632	3/	/97	TW	4	131	212	.83	20.2	22.8	Sire:X										
Reg 115	6636	3/	/97	S	3	138	207	.70	20.9	23.8	Com 139	9236	12/	/96		.191	267	.78	20.2	23.5	
Reg 116	6638	3/	/97	TW	4	152	232	.82	21.1	22.4	Com 140	9237	3/	/97		.140	215	.77	22.3	26.9	
Reg 117	6712	4/	/97	TW	6	122	192	.71	21.2	23.6	Com 141	9238	3/	/97		.122	176	.55	20.7	23.1	
Reg 118	6718	4/	/97	S	3	135	178	.44	19.8	24.4	Com 143	9443	3/	/97		.139	202	.64	22.8	25.2	
Sire:TAES B2311					Com 145 9504					12/					/96		.171	213	.43	19.6	22.8
Reg 119	6649	3/	/97	S	5	135	210	.77	20.3	24.2	Com 146	9512	3/	/97		.151	222	.72	20.6	23.1	
Reg 120	6655	3/	/97	S	3	136	209	.74	22.3	26.1	Com 147	9513	3/	/97		.131	215	.86	22.3	25.9	
Sire:TAES B2365					Com 148 9514					3/					/97		.146	224	.80	20.8	25.0
Reg 122	6630	3/	/97	TW	6	140	227	.89	22.2	24.2	Com 149	9517	3/	/97		.129	220	.93	21.6	24.8	
Reg 123	6678	4/	/97	TW	6	122	216	.96	21.3	24.4	Com 151	9521	3/	/97		.132	204	.73	24.1	28.4*	
					Com 152 9524					12/					/96		.178	228	.51	23.4	23.9
					Com 153 9525					3/					/97		.136	219	.85	22.9	25.5

P before the test number designates a Polled ram
 * after a value means this ram is not eligible for certification

1997-1998 Sonora Central Ram Performance Test February 18, 1998

R				Age Start				Mean Diameter				R				Age Start				Mean Diameter											
e Test Flock				Birth Birth of				Wt. Wt.				__(microns)__				e Test Flock				Birth Birth of				Wt. Wt.				__(microns)__			
g No.	No.	date	type	Dam	10/1	1/7	ADG	Side	Britch	g No.	No.	date	type	Dam	10/1	1/7	ADG	Side	Britch	g No.	No.	date	type	Dam	10/1	1/7	ADG	Side	Britch		
Jernigan Ranch, IRAAN																Powell, James L., FT. MCKAVETT															
Sire:R-J 30								Sire:X																							
Reg 154	1676	3/	./97	S	.149	226	.79	21.9	25.1	Com 173	115	2/	./97	TW	.108	191	.85	23.2	26.9												
Sire:R-J 3188								Com 174 116								2/ ./97 TW .116 186 .71 23.9 27.2															
Reg 155	2313	3/	./97	S	.166	243	.79	22.4	25.5	Com 175	117	2/	./97	TW	.124	178	.55	20.9	24.8												
Reg 156	2317	3/	./97	S	.170	247	.79	23.1	25.8	Com 176	118	2/	./97	TW	.103	175	.73	24.7	26.4												
Reg 157	2353	3/	./97	S	.155	241	.88	22.2	25.8	Com 177	119	2/	./97	TW	.132	203	.72	24.3	28.2*												
Reg 159	2364	3/	./97	S	.150	220	.71	23.9	27.5	Com 178	120	2/	./97	TW	.116	203	.89	26.0*	28.8*												
Reg 160	2367	3/	./97	S	.168	261	.95	20.5	23.0	Com 179	121	2/	./97	TW	.109	186	.79	22.2	25.7												
Reg 161	2380	3/	./97	S	.144	230	.88	22.5	27.0	Com 180	122	2/	./97	S	.130	184	.55	23.7	28.7*												
Reg 162	2409	3/	./97	S	.144	236	.94	22.1	23.8	Com 181	123	2/	./97	S	.130	193	.64	24.8	27.1												
Reg 163	2416	3/	./97	S	.180	253	.74	21.6	24.6	Com 182	124	2/	./97	S	.120	188	.69	24.8	27.6												
Reg 164	2710	3/	./97	S	.166	245	.81	21.3	23.0	Com 183	125	2/	./97	S	.128	208	.82	24.2	28.0*												
Sire:R-J 6140								Com 184 126								2/ ./97 S .130 195 .66 22.6 25.6															
Reg 165	2429	3/	./97	S	.170	249	.81	25.6*	28.2*	Com 185	127	2/	./97	S	.117	177	.61	20.7	24.6												
Reg P166	2478	3/	./97	S	.169	257	.90	21.0	23.5	Com 186	128	2/	./97	S	.129	189	.61	22.0	27.8												
Reg 167	2486	3/	./97	S	.147	216	.70	20.3	23.9	Com 187	129	2/	./97	S	.103	175	.73	21.9	24.5												
Reg 168	2514	3/	./97	S	.147	220	.74	21.6	23.0	Com 188	130	2/	./97	S	.143	231	.90	23.2	27.6												
Reg 169	2530	3/	./97	S	.158	241	.85	25.8*	28.2*	Com 189	131	2/	./97	S	.113	188	.77	23.6	27.3												
Reg 170	2806	3/	./97	S	.145	224	.81	22.9	27.2	Com 190	132	2/	./97	S	.130	200	.71	22.1	25.6												
Reg 172	2832	3/	./97	S	.138	205	.68	22.8	25.8	Com 191	133	2/	./97	S	.121	186	.66	24.5	28.6*												
								Com 192	134	2/	./97	S	.121	178	.58	23.2	27.5														
								Com 193	135	2/	./97	S	.111	160	.50	23.5	28.9*														
								Com 194	136	2/	./97	S	.138	199	.62	21.7	26.0														
								Com 195	137	2/	./97	S	.114	188	.76	27.2*	31.6*														
								Com 196	138	2/	./97	S	.108	174	.67	22.5	25.5														
								Com 197	139	2/	./97	S	.115	173	.59	23.1	26.0														
								Com 198	140	2/	./97	S	.125	152	.28	23.4	25.7														
								Com 199	141	2/	./97	S	.119	185	.67	22.6	27.5														
								Com 200	142	2/	./97	S	.124	191	.68	22.9	27.9*														
								Com 201	143	2/	./97	S	.126	199	.74	21.5	24.2														
								Com 202	144	2/	./97	S	.129	212	.85	23.5	29.3*														
								Com 203	145	2/	./97	S	.104	169	.66	24.2	27.6														
								Com 204	146	2/	./97	S	.130	200	.71	24.1	27.9*														
								Com 205	147	2/	./97	S	.141	214	.74	22.7	25.9														
								Com 206	148	2/	./97	S	.153	230	.79	22.8	25.1														
								Com 207	149	2/	./97	S	.119	177	.59	23.8	28.8*														
								Com 208	151	2/	./97	S	.135	190	.56	22.9	25.8														

P before the test number designates a Polled ram
 * after a value means this ram is not eligible for certification