

2001-2002 Texas A&M, Sonora Central Ram Performance Test FINAL Report

March 14, 2002

Reg No.	Test No.	Flock No.	Birth date	Birth type	Age of Dam	Start Wt. 9/26	Final Wt. 2/13	ADG lbs	Fleece Yield (%)	Fiber Diameter, microns	Core AFD	Side CV	Britch (%)	Scores Face Cover	Belly Wool	Body Folds	Scrot. circ. cm.	Fat Depth in.	Ribeye Area sq.in.	ROM Index	Ribeye Index Ratio						

Pen 1 Landers Ranch, MENARD																											
Sire:TAES 7003																											
Reg	2	695	2/	.1	TW	4	132	264	.94	.87	25.9	43.3	11.2	5.4	21.7	17.8	22.6	25.5	2.5	1.0	1.9	1.3	40.5	.39	3.81	127.12	102.5
Pen 2 Henson, Don, GOLDTHWAITE																											
Sire:S MENZIES 866																											
Reg	5	763	12/	.0	S	4	147	278	.94	.86	27.0	46.9	12.7	5.0	23.7	20.3	24.0	26.1	9.2	1.0	1.0	1.4	40.5	.35	3.69	122.02	106.2
Pen 3 Schunke Ranch, GOLDTHWAITE																											
Sire:C&S MENZIES 2454																											
Reg	6	1023	4/15/1		3	119	243	.89	.83	21.4	50.2	10.7	5.4	22.1	25.8	22.5	23.3	4.6	1.0	1.1	1.5	34.0	.39	3.31	111.91	90.2	
Reg	7	1536	11/15/0		6	151	267	.83	.78	18.1	51.2	9.3	4.9	22.4	18.8	23.2	25.3	3.4	0.9	1.4	1.3	40.0	.43	4.00	108.90	94.7	
Sire:S MENZIES 959																											
Reg	8	1088	1/14/1		4	151	293	1.01	.95	23.2	43.7	10.1	4.7	21.9	23.5	22.9	24.3	4.5	1.1	1.2	1.2	40.2	.35	3.25	117.29	94.5	
Sire:WB 2222																											
Reg	9	1527	11/	6/0	5	162	275	.81	.76	17.9	47.7	8.5*	4.3	24.8*	22.3	25.1*	30.3*13.6	1.2	1.0	1.1	42.0	.30	3.56	90.71	78.9		
Reg	10	1534	11/12/0		6	167	280	.81	.74	24.0	45.5	10.9	4.6	25.5*	22.7	27.2*	32.4*18.1	1.0	1.0	1.4	40.2	.43	3.44	99.49	86.6		
Pen 4 Hellwig Rambouillet, SILOAM SPRINGS, AR																											
Sire:P ROSE R4167																											
Reg	11	574	2/16/1		TW	6	149	287	.99	.91	28.4	49.8	14.2	5.6	25.6*	26.0	26.3*	29.2*18.9	0.9	1.1	2.4	37.0	.39	2.88	122.02	98.3	
Reg	12	575	2/16/1		TW	6	142	266	.89	.82	24.7	49.3	12.2	5.4	24.1*	20.8	25.1*	26.9	11.7	1.5	1.0	2.4	33.3	.35	3.56	117.37	94.6
Sire:TAES 6880																											
Reg	13	587	2/19/1		TR	3	146	277	.94	.86	25.9	47.2	12.2	5.4	20.8	25.7	21.0	25.4	2.5	1.1	2.9	1.6	33.9	.39	3.19	123.87	99.8
Reg	14	609	2/28/1		TR	7	147	278	.94	.86	27.6	49.6	13.7	5.4	22.5	20.3	22.9	25.1	4.2	0.9	1.3	1.4	35.2	.43	2.81	131.16	105.7
Pen 5 Hill Country Rambouillet, SONORA																											
Sire:B FARIS 388																											
Reg	15	604	2/	.1	TW	6	145	259	.81	.76	19.3	50.6	9.8	5.2	21.8	20.9	22.0	25.2	4.5	1.0	2.4	1.0	37.3	.52	3.19	110.17	88.8
Reg	16	613	1/	.1	S	4	171	318	1.05	.98	25.1	50.8	12.8	5.0	23.4	20.8	24.3	26.5	7.9	1.6	1.7	1.1	38.5	.52	4.06	129.98	104.8
Reg	17	633	1/	.1	S	5	195	333	.99	.93	18.6	46.5	8.7*	5.5	20.7	17.6	22.3	25.9	1.6	0.9	2.5	1.0	39.3	.65	3.50	124.13	100.0
Pen 6 Angelo State Univ., SAN ANGELO																											
Sire:ASU 5131																											
Reg	18	5188	W 3/11/1		S	5	152	292	1.00	.94	21.8	49.3	10.7	4.9	22.6	27.2	23.5	26.9	4.4	1.0	1.4	1.2	30.5	.48	3.06	114.77	92.5
Sire:ASU 5223																											
Reg	19	5460	G 3/	6/1	S	2	146	256	.79	.71	26.0	47.0	12.2	5.7	22.9	19.7	22.5	26.9	7.0	2.9*	1.2	1.2	34.0	.43	2.56	116.46	93.9

P before the test number designates a Polled ram

* after a value indicates reason this ram was not eligible for certification

Reg No.	Test No.	Flock No.	Birth date	Birth type	Age of Dam	Start Wt. 9/26	Final Wt. 2/13	ADG lbs	Fleece Total Gr. Yield (%)	Fiber Diameter, microns Core	Fiber Diameter, microns AFD	Fiber Diameter, microns CV	Fiber Diameter, microns Side	Fiber Diameter, microns Britch	Scores PF (%)	Scores Face	Scores Belly	Scores Body	Scrot. circ. cm.	Fat Depth in.	Ribeye Area sq.in.	ROM Index	Index Ratio			

Pen 7 Jones, Travis, FREDERICKSBURG																										
Sire:F KLEIN 161																										
RegP	20	130	3/ 6/1	S	2	105	212	.76	.71	18.2	53.7	9.8	4.8	23.4	17.2	23.9	26.4	6.5	1.0	1.0	3.8	31.3	.52	2.88	104.64	84.3
Sire:T.JONES 8-21																										
Reg	21	125	3/ 3/1	TW	2	111	224	.81	.75	18.9	56.5	10.7	6.0	22.3	17.2	23.6	27.2	3.0	1.6	1.1	1.5	31.2	.43	2.75	116.79	94.1
RegP	22	126	3/ 3/1	S	2	93*	184*	.65	.61	16.1	53.6	8.6*	5.6	21.6	17.9	22.1	25.7	1.8	1.0	1.3	2.7	33.0	.35	3.25	101.75	82.0
Reg	23	144	3/12/1	TW	3	121	253	.94	.88	21.1	52.5	11.0	4.9	22.3	19.3	23.1	24.3	3.0	1.5	1.1	2.5	35.3	.39	2.94	122.22	98.5
Reg	24	145	3/16/1	S	5	124	266	1.01	.96	19.5	53.4	10.4	4.2	22.7	20.5	23.6	26.9	3.6	0.9	1.1	2.7	37.2	.39	3.25	118.67	95.6
Pen 8 RJ + W Rose Liv., DEL RIO																										
Sire:RJ+W ROSE 2015																										
Reg	25	2127	3/ ./1	TW	2	139	272	.95	.87	27.1	43.4	11.7	4.9	23.6	18.1	24.7	27.1	6.7	3.4*	1.5	1.3	35.9	.43	3.75	121.89	98.2
Reg	26	2128	3/ ./1	TW	3	148	278	.93	.87	22.7	38.9	8.9*	4.7	22.0	23.5	22.3	25.3	3.3	1.1	1.3	1.2	40.0	.35	3.13	106.80	86.1
Pen 11 Campbell, Fred, PAINT ROCK																										
Sire:FRC 5399																										
Reg	27	5906	2/14/1	S	.	128	262	.96	.89	25.2	57.1	14.4	5.6	21.7	19.8	23.8	25.7	2.8	1.0	1.1	2.5	35.2	.35	3.25	139.31	112.3
Reg	28	5908	2/14/1	TW	.	163	278	.82	.75	26.5	51.6	13.7	5.4	23.0	21.2	22.9	24.0	7.3	1.0	1.6	1.5	36.0	.43	3.44	122.14	98.4
Reg	29	5924	2/27/1	S	.	155	263	.77	.71	22.6	53.6	12.1	5.5	22.6	15.6	23.1	24.3	3.2	1.5	1.3	1.4	33.0	.43	3.13	118.90	95.8
Pen 12 Texas Ramb. Sup. Gen.(TRSG), SAN ANGELO																										
Sire:FRC 5399																										
Reg	30	5911	2/14/1	TW	.	158	270	.80	.74	22.5	49.5	11.1	5.8	22.9	20.5	24.8	25.8	4.4	1.0	1.2	1.2	34.5	.39	3.56	112.61	90.8
Sire:ASU 5324																										
Reg	31	289	2/25/1	S	2	159	287	.91	.85	22.2	43.6	9.7	5.3	20.2	17.3	21.7	22.6	0.6	1.0	1.5	1.3	34.3	.52	3.19	124.05	100.0
Reg	32	334	4/10/1	S	2	114	242	.91	.85	21.5	44.7	9.6	5.1	21.9	18.2	23.3	24.6	3.3	1.0	1.5	1.3	32.0	.35	3.19	117.92	95.0
Sire:B FARIS 388																										
Reg	33	622	1/ ./1	.	4	165	334	1.21	1.14	25.8	42.9	11.0	5.0	22.0	19.0	23.3	25.5	2.9	0.9	1.7	1.2	38.2	.69	3.56	138.73	111.8
Sire:S MENZIES 934																										
Reg	34	287	2/25/1	S	2	133	250	.84	.79	17.3	43.1	7.5*	4.5	20.5	19.6	20.7	22.4	2.1	1.0	1.5	1.3	37.5	.43	3.19	105.15	84.7
Reg	35	294	2/25/1	S	2	160	293	.95	.90	18.0	36.6	6.6*	4.0	20.1	29.7	20.8	21.8	1.7	0.9	2.6	1.1	37.0	.56	3.50	99.83	80.5
Reg	36	314	2/25/1	S	2	119	255	.97	.90	25.0	47.7	11.9	5.2	23.3	18.8	23.4	27.6	3.3	1.8	1.8	1.5	36.3	.56	3.25	125.46	101.1
Sire:TAES 6808																										
Reg	37	7456	3/ ./1	.	.	124	271	1.05	.97	27.5	49.7	13.6	5.8	20.9	24.1	21.6	24.5	2.4	1.0	1.9	1.5	38.0	.43	3.19	138.28	111.4
Sire:TAES 7003																										
Reg	38	669	2/ ./1	S	3	159	290	.94	.86	28.4	39.4	11.2	5.1	21.6	20.2	22.1	23.2	3.2	1.0	1.1	1.2	35.9	.52	3.31	122.85	99.0
Reg	39	684	2/ ./1	S	4	163	272	.78	.72	21.2	49.3	10.4	4.5	22.0	21.3	23.2	24.0	3.7	3.1*	1.9	1.1	37.2	.48	3.25	106.37	85.7
Pen 14 Bradford, Maurice, SAN ANGELO																										
Sire:M.BRADFORD 0242																										
Reg	40	0075	1/ ./1	S	2	187	316	.92	.86	22.9	43.2	9.9	4.3	21.8	19.1	22.1	25.2	3.0	1.0	1.1	1.1	41.3	.56	4.00	115.31	92.9

P before the test number designates a Polled ram

* after a value indicates reason this ram was not eligible for certification

Reg No.	Flock No.	Age Birth date	Start Birth of Dam	Final Wt. 9/26	Final Wt. 2/13	ADG		Fleece			Fiber Diameter, microns				Scores			Scrot. circ.	Fat Depth	Ribeye Area	ROM Index	Fat Ribeye Index Ratio				
						Total lbs	Body lbs	Gr. Yield (%)	Clean Wt.	Stap. len.	Core AFD	CV	Side	Britch (%)	Face Cover	Belly Wool	Body Folds									

Pen 9 TAES, Barnhart, SAN ANGELO																										
Sire:TAES B2788																										
Reg 41	3280	2/	./1	4	115	250	.96	.89	26.2	52.0	13.6	5.6	24.1*	21.9	23.9	26.5	9.5	1.0	1.0	1.9	34.3	.35	3.19	126.37	101.8	
Sire:TAES 6863																										
Reg 43	3302	2/	./1	3	125	273	1.06	.98	28.0	48.7	13.6	5.5	20.4	19.4	21.6	23.2	1.4	1.0	1.0	2.8	32.9	.48	3.19	146.13	117.8	
Sire:TAES B2856																										
Reg 44	3366	3/	./1	2	121	240	.85	.78	23.5	51.1	12.0	6.4	20.5	19.1	21.3	22.4	1.3	1.0	1.2	1.1	35.0	.48	3.31	128.12	103.3	
Sire:TAES 6863																										
Reg 45	3328	3/	./1	5	149	264	.82	.75	25.9	42.5	11.0	4.6	20.3	17.1	20.8	22.9	0.9	1.1	1.2	2.2	33.4	.43	3.56	120.17	96.8	
Sire:TAES B2888																										
Reg 46	3331	3/	./1	4	120	269	1.06	.99	26.7	46.8	12.5	5.4	20.6	17.3	21.0	23.6	1.1	1.0	1.2	1.9	36.1	.52	3.50	143.04	115.3	
Sire:TAES B2856																										
Reg 47	3340	3/	./1	4	130	271	1.01	.92	29.6	43.2	12.8	6.2	20.7	15.6	21.9	21.9	0.5	1.0	1.2	1.4	33.8	.39	3.63	140.32	113.1	
Sire:TAES 6863																										
Reg 48	3395	3/	./1	8	125	270	1.04	.95	30.1	45.7	13.7	5.6	23.2	19.6	23.4	26.2	6.0	0.9	1.0	2.0	36.5	.48	3.75	136.31	109.9	

Pen 36 TAES, Sonora, SONORA																										
Sire:TAES 6808																										
Reg 49	7357	2/	./1	S	2	111	234	.88	.81	26.5	54.0	14.3	5.4	21.3	16.9	21.8	23.0	1.7	1.2	1.0	3.4	35.0	.30	3.19	137.02	110.4
Reg 50	7358	2/	./1	TW	5	101	270	1.21	1.13	27.5	49.3	13.6	5.5	20.4	23.8	20.9	24.4	2.4	2.0	1.4	3.5	38.0	.39	3.00	149.25	120.3
Reg 51	7362	2/	./1	S	4	139	247	.77	.71	23.4	47.3	11.1	5.5	19.9	24.2	19.4	22.0	1.5	1.0	1.6	1.3	29.0	.43	3.19	114.94	92.6
Reg 52	7363	2/	./1	S	4	136	278	1.01	.94	25.5	50.7	12.9	5.9	20.2	19.2	20.1	21.9	0.8	0.5	2.0	1.3	33.2	.43	3.69	141.83	114.3
Reg 53	7480	3/	./1	TW	3	100	245	1.04	.96	25.8	50.5	13.0	5.8	20.8	18.8	21.5	22.3	1.4	0.4	1.5	3.1	32.2	.39	3.13	142.34	114.7
Sire:TAES 6987																										
Reg 54	7346	2/	./1	TW	4	109	255	1.04	.99	19.7	50.0	9.8	5.0	19.4	18.2	19.7	22.1	0.6	0.7	1.3	1.9	37.0	.43	3.50	132.45	106.7
Reg 55	7380	2/	./1	S	3	119	246	.91	.85	22.0	51.5	11.4	5.3	21.6	21.8	21.7	23.3	3.2	1.0	1.5	1.3	35.2	.35	3.50	121.45	97.9
Reg 56	7411	2/	./1	TW	3	120	256	.97	.92	19.8	49.3	9.8	5.4	20.9	19.3	22.2	22.6	1.4	1.2	1.6	1.4	33.3	.35	3.06	125.24	100.9
Reg 57	7423	2/	./1	TW	2	101	251	1.07	1.01	22.1	50.4	11.2	5.5	19.9	19.9	21.1	22.5	1.2	1.0	1.8	1.2	36.0	.35	3.56	138.86	111.9
Reg 58	7424	2/	./1	TW	2	122	261	.99	.93	21.8	49.6	10.8	5.5	21.2	21.6	22.5	24.1	1.4	0.7	2.2	1.2	34.5	.39	3.31	126.86	102.2
Reg 59	7427	2/	./1	S	4	106	251	1.04	.98	20.2	50.4	10.1	5.5	18.7	21.5	18.7	19.3	4.7	1.2	2.6	1.1	34.1	.39	2.69	130.99	105.6
Reg 60	7429	2/	./1	S	4	136	257	.86	.80	21.6	45.1	9.7	4.8	20.5	19.2	21.4	24.1	1.6	1.0	1.2	1.2	32.1	.39	3.25	117.26	94.5
Sire:TAES 7023																										
Reg 62	7339	2/	./1	S	3	145	296	1.08	1.01	25.0	48.8	12.2	4.8	22.8	18.8	22.9	26.0	5.4	1.0	1.6	1.5	33.5	.61	3.88	133.25	107.4
Reg 63	7450	3/	./1	S	3	122	250	.91	.84	27.6	46.8	12.9	4.7	21.9	20.5	22.0	23.7	0.7	1.3	1.2	2.7	34.2	.52	3.69	125.33	101.0
Sire:TAES 7118																										
Reg 64	7372	2/	./1	TW	6	131	279	1.06	.99	25.9	42.5	11.0	4.7	21.3	22.1	22.0	23.1	3.7	1.0	2.0	1.4	33.8	.35	3.31	126.44	101.9
Reg 65	7416	2/	./1	TW	3	123	273	1.07	1.00	25.3	40.3	10.2	5.4	21.4	17.1	22.2	23.6	1.9	1.0	2.7	1.6	37.3	.52	3.06	131.74	106.2
Reg 66	7445	3/	./1	S	6	124	257	.95	.86	31.1	43.3	13.4	5.8	21.1	18.8	21.2	23.8	1.6	1.1	1.2	1.6	37.2	.35	3.00	136.90	110.3

P before the test number designates a Polled ram
 * after a value indicates reason this ram was not eligible for certification

2001-2002 Texas A&M, Sonora Central Ram Performance Test FINAL Report

March 14, 2002

R e g No.	Flock No.	Age Birth date	Start Birth type	Final Wt. 9/26	ADG Wt. 2/13	Fleece		Fiber Diameter, microns				Scores			Scrot. circ. cm.	Fat Depth in.	Ribeye Area sq.in.	ROM Index	Fat Depth in.	Ribeye Area sq.in.	ROM Index					
						Total lbs	Body lbs	Gr. Yield Wt.	Yield (%)	Stap. Wt. len.	Core AFD	CV	Side Britch (%)	Face Cover								Belly Wool	Body Folds			
Pen 37 Jernigan Ranch, IRAAN																										
Sire:M JERNIGAN 5650																										
Reg 67	8473	3/	./1	.	133	262	.92	.85	24.8	44.6	11.0	5.3	23.7	19.9	23.7	27.0	9.0	1.0	1.1	1.3	33.5	.56	3.31	116.72	94.1	
Reg 69	8508	3/	./1	.	140	264	.89	.81	26.0	46.5	12.1	4.9	22.0	19.9	21.8	23.8	3.1	1.0	1.0	2.7	36.0	.43	3.56	122.21	98.5	
Reg 71	8557	3/	./1	.	132	265	.95	.89	21.1	48.5	10.2	5.7	20.5	20.0	20.1	21.1	1.6	1.0	1.2	1.8	36.6	.43	3.69	126.22	101.7	
Reg 72	8678	3/	./1	.	98*	219	.86	.80	23.2	49.9	11.6	5.4	24.8*	20.3	25.7*	28.8*14.5	1.0	1.0	1.3	36.2	.39	3.50	112.53	90.7		
Reg 73	8766	3/	./1	.	110	255	1.04	.95	31.4	54.1	17.0	6.4	22.2	17.2	23.9	25.7	2.8	1.2	1.3	2.2	34.1	.35	3.19	153.95	124.1	
Sire:M JERNIGAN 6968																										
Reg 74	9195	3/	./1	.	106	233	.91	.84	25.8	56.5	14.5	6.4	24.0*	20.0	23.7	26.3	11.0	1.5	1.1	3.7	32.8	.35	2.69	129.62	104.5	
Reg 75	9259	3/	./1	.	120	237	.84	.76	27.1	48.6	13.2	5.4	24.3*	17.3	24.5	26.7	10.2	1.1	1.1	2.0	35.0	.39	3.31	120.48	97.1	
Reg 76	9316	3/	./1	.	121	262	1.01	.95	22.2	50.3	11.1	5.7	23.7	21.4	24.0	26.4	4.9	0.6	1.1	1.1	32.0	.39	3.38	121.74	98.1	
Reg 77	9323	3/	./1	.	115	254	.99	.92	26.3	47.4	12.5	6.4	22.4	20.1	24.4	27.0	5.1	0.9	1.2	2.0	33.2	.43	3.50	131.05	105.6	
Reg 78	9324	3/	./1	.	128	276	1.06	.98	26.3	50.2	13.2	6.0	21.7	17.8	21.9	24.4	2.9	0.9	1.1	1.6	36.3	.43	3.06	142.38	114.7	
Reg 79	9382	3/	./1	.	120	227	.76	.69	28.2	56.3	15.9	5.8	24.3*	18.0	23.6	25.2	10.9	1.8	1.0	2.3	36.4	.39	2.63	127.57	102.8	
Sire:M JERNIGAN 2367																										
Reg 80	9419	3/	./1	.	118	219	.72	.67	17.0	57.5	9.8	5.5	21.0	17.4	20.8	24.5	1.2	1.0	1.9	1.0	34.3	.35	3.69	112.30	90.5	
Reg 81	9460	3/	./1	.	113	254	1.01	.93	27.2	48.9	13.3	5.1	22.9	21.0	23.3	24.5	4.6	1.0	1.6	2.6	32.5	.35	3.38	130.71	105.3	
Reg 82	9567	3/	./1	.	105	242	.98	.92	22.6	52.4	11.8	6.9	20.8	17.2	20.5	23.1	0.8	1.0	1.5	1.4	29.6	.52	3.63	135.50	109.2	
Reg 83	9674	3/	./1	.	119	253	.96	.87	29.9	51.0	15.3	5.6	22.9	18.0	24.6	26.0	5.3	2.9*	1.1	4.0	34.9	.39	3.19	140.40	113.2	
Pen 15 Gainer Ranch, MENARD																										
Sire:MSC 1851																										
Reg 84	1099	2/	7/1	S	3	138	282	1.03	.97	22.6	42.1	9.5	4.8	23.9*	20.2	25.7*	29.3*	9.8	2.0	1.1	1.6	34.1	.48	3.31	114.53	92.3
Reg 85	1138	3/	11/1	TW	2	111	254	1.02	.98	15.7	56.4	8.8*	5.0	21.2	17.5	21.4	24.2	1.7	2.7*	1.7	1.1	34.5	.48	3.56	124.14	100.0
Sire:S MENZIES 865																										
Reg 86	1093	2/	3/1	TR	4	133	259	.90	.85	19.7	55.3	10.9	6.1	21.1	19.2	21.0	22.8	2.0	2.6	2.9	1.3	33.9	.43	3.63	125.29	101.0
Reg 87	1094	2/	3/1	TR	4	144	273	.92	.87	19.3	44.1	8.5*	5.1	21.9	20.9	23.1	27.2	3.6	1.0	1.6	1.1	38.5	.52	3.81	111.03	89.5
Reg 88	1096	2/	4/1	TW	4	128	264	.97	.90	26.9	50.4	13.5	5.9	23.5	23.3	24.3	28.5*	7.4	1.0	1.3	1.5	39.0	.43	3.00	126.69	102.1
Reg 89	1109	2/	15/1	TW	7	125	268	1.02	.96	20.8	43.6	9.1	5.9	23.9*	18.6	26.5*	28.8*	4.9	1.0	1.3	1.0	35.5	.43	3.81	117.38	94.6
Reg 90	1119	2/	19/1	TW	2	125	264	.99	.93	21.1	53.8	11.4	5.7	21.2	18.8	22.2	24.5	2.9	2.2	2.6	1.4	38.1	.43	3.56	132.42	106.7
Reg 91	1121	2/	19/1	TW	4	145	302	1.12	1.06	20.8	46.0	9.6	4.1	24.3*	26.4	25.6*	29.1*11.1	2.1	2.0	1.2	37.2	.43	3.75	109.55	88.3	
Reg 92	1123	2/	19/1	TW	3	144	278	.96	.90	22.3	49.6	11.1	5.4	21.8	22.2	21.9	24.5	4.1	1.0	2.0	1.1	34.8	.43	4.00	122.54	98.8
Reg 93	1141	3/	11/1	S	3	142	276	.96	.91	16.3	51.4	8.4*	5.3	22.2	17.6	22.1	25.2	2.8	1.3	3.4	.	38.0	.52	3.88	116.65	94.0
Reg 94	1145	2/	18/1	TW	8	130	262	.94	.88	22.0	52.8	11.6	5.0	23.2	16.5	22.4	25.3	4.9	1.0	1.7	1.3	33.5	.48	3.56	123.36	99.4

P before the test number designates a Polled ram

* after a value indicates reason this ram was not eligible for certification

2001-2002 Texas A&M, Sonora Central Ram Performance Test FINAL Report

March 14, 2002

R	Age	Start	Final	ADG		Fleece				Fiber Diameter, microns				Scores				Scrot.	Fat	Ribeye						
e Test Flock	Birth	Birth of	Wt.	Wt.	Total	Gr.	Yield	Clean	Stap.	Core		PF	Face	Belly	Body	circ.	Depth	Area	ROM	Index						
g No.	No.	date	type	Dam	9/26	2/13	lbs	lbs	Wt.	(%)	Wt.	len.	AFD	CV	Side	Britch	(%)	Cover	Wool	Folds	cm.	in.	sq.in.	Index	Ratio	

Pen 32 Our Father's Place, Moore, FT. STOCKTON																										
Sire:OFP 809																										
Com 95	0140	3/ .1	.	121	277	1.11	1.04	25.2	51.2	12.9	5.9	20.4	18.1	20.9	22.2	0.8	0.9	1.1	1.7	35.2	.30	3.88	148.59	119.8		
Com 96	0144	3/ .1	.	124	279	1.11	1.04	24.8	46.0	11.4	6.5	19.1	18.0	20.0	21.5	0.5	0.6	1.0	.	39.9	.	.	143.82	115.9		
Com 97	0146	3/ .1	.	111	257	1.04	.98	21.0	53.1	11.1	6.0	20.0	18.4	20.5	21.6	1.1	1.0	1.2	1.6	37.0	.39	3.63	138.77	111.8		
Com 98	0147	3/ .1	.	107	235	.91	.86	20.4	53.1	10.8	6.1	21.4	21.0	22.1	23.7	2.0	0.9	2.1	1.3	33.1	.30	3.25	122.46	98.7		
Com 99	0152	3/ .1	.	118	260	1.01	.94	27.3	49.0	13.4	5.9	22.6	19.6	23.3	25.0	3.2	1.0	1.2	2.0	33.9	.52	3.06	135.84	109.5		
Com 100	0157	3/ .1	.	113	242	.92	.83	32.3	51.7	16.7	6.1	21.5	16.8	22.3	22.7	1.9	1.0	1.1	2.1	35.3	.30	3.69	147.87	119.2		
Com 101	0160	3/ .1	.	123	255	.94	.87	24.6	47.4	11.7	5.3	22.6	24.3	23.0	24.6	4.8	0.6	1.1	1.7	34.5	.35	3.56	118.27	95.3		
Sire:OFP 829																										
Com 102	0116	3/ .1	.	132	259	.91	.82	31.1	40.7	12.7	5.5	21.2	21.7	21.1	23.1	2.2	1.0	1.1	2.2	37.3	.48	2.88	127.33	102.6		
Com 103	0120	3/ .1	.	125	280	1.11	1.03	29.4	54.4	16.0	5.8	22.8	20.6	23.9	26.2	6.7	1.0	1.0	2.3	39.8	.52	3.75	149.54	120.5		
Com 104	0129	3/ .1	.	113	249	.97	.89	28.2	55.5	15.7	5.5	20.6	19.7	20.4	21.1	1.6	1.6	2.0	1.8	34.1	.39	3.50	148.18	119.4		
Com 105	0130	3/ .1	.	126	267	1.01	.94	24.6	50.2	12.3	6.1	20.4	22.4	21.3	22.7	4.7	1.0	1.3	1.9	40.5	.48	2.94	134.77	108.6		
Com 106	0131	3/ .1	.	134	273	.99	.91	30.5	55.6	17.0	6.0	23.1	18.4	24.5	25.6	1.7	1.2	1.0	1.8	35.0	.52	3.31	148.42	119.6		
Com 107	0137	3/ .1	.	122	264	1.01	.94	26.5	47.3	12.5	6.6	20.6	17.8	19.1	21.7	0.9	1.0	1.2	1.8	38.9	.43	3.00	140.44	113.2		
Sire:R-J 3188																										
Com 108	0102	3/ .1	.	129	273	1.03	.93	34.4	49.4	17.0	6.7	21.9	16.1	21.7	22.9	2.0	2.8*	1.2	2.4	35.2	.43	3.38	153.90	124.0		
Com 109	0103	3/ .1	.	139	289	1.07	.98	34.1	53.2	18.1	6.1	21.2	17.7	20.6	23.0	1.7	1.0	1.0	2.2	38.4	.35	3.81	163.32	131.6		
Com 110	0108	3/ .1	.	134	285	1.08	.99	33.5	47.1	15.7	6.1	22.4	17.9	23.0	24.3	3.1	1.0	1.0	2.1	40.5	.43	3.75	150.77	121.5		
Com 111	0109	3/ .1	.	143	283	1.00	.93	25.8	53.0	13.7	5.2	21.9	16.2	22.2	22.9	1.6	2.3	1.7	1.3	38.1	.39	3.63	139.30	112.3		
Com 112	0110	3/ .1	.	126	279	1.09	1.00	33.3	51.9	17.3	5.7	21.9	17.4	22.2	24.8	2.4	1.0	1.2	2.3	39.0	.43	3.31	158.94	128.1		
Com 113	0111	3/ .1	.	111	254	1.02	.95	25.7	53.5	13.7	6.5	22.9	25.3	23.4	25.4	5.6	2.4	1.4	1.5	34.5	.30	3.69	129.75	104.6		
Pen 33 Menzies, C & S, SAN ANGELO																										
Sire:C&S MENZIES 2307																										
Reg 114	2660	3/ 1/1 S	5	116	238	.87	.80	26.2	44.2	11.6	4.8	25.2*	21.1	26.0*	28.5*15.9	2.8*	1.0	2.1	29.5	.39	3.38	108.66	87.6			
Sire:C&S MENZIES 2464																										
Reg 115	2626	12/ 1/0 S	5	154	325	1.22	1.15	27.4	48.3	13.2	5.5	21.3	16.3	22.0	22.1	1.3	1.0	1.3	1.3	38.9	.48	3.25	153.57	133.6		
Reg 116	2678	3/ 1/1 S	.	137	261	.89	.82	22.4	46.4	10.4	5.0	21.2	18.2	21.4	23.2	1.2	1.0	2.9	1.3	37.2	.35	3.94	120.86	97.4		
Reg 117	2679	3/ 1/1 TW	.	123	274	1.08	1.00	26.5	45.0	11.9	5.3	21.7	20.2	22.4	24.5	2.9	0.9	1.3	1.9	37.1	.52	3.13	134.82	108.7		
Reg 118	2684	3/ 1/1 TW	.	105	232	.91	.85	20.7	49.0	10.2	4.7	21.1	22.5	22.3	24.0	2.8	1.0	1.1	1.8	33.2	.30	2.63	115.45	93.0		
Reg 119	2691	3/ 1/1 S	.	136	293	1.12	1.05	24.0	48.6	11.6	5.4	22.3	21.2	22.2	24.5	3.8	1.0	2.1	1.3	36.0	.39	3.38	134.12	108.1		
Reg 120	2695	3/ 1/1 S	.	124	271	1.05	.97	27.8	54.0	15.0	5.3	22.1	18.9	22.7	22.6	4.0	1.0	1.6	2.4	36.9	.35	3.88	145.99	117.7		
Reg 121	2713	3/ 1/1 S	.	139	281	1.01	.95	21.6	50.4	10.9	5.3	20.4	17.8	22.3	22.1	1.0	1.0	2.8	1.4	38.3	.39	3.44	134.51	108.4		
Reg 122	2728	4/ 1/1 TW	.	93*	245	1.09	1.03	20.1	49.3	9.9	4.8	21.4	21.4	21.8	22.8	2.7	1.0	1.5	1.3	32.1	.30	2.63	125.91	101.5		
Reg 123	2731	3/ 1/1 TW	.	128	241	.81	.75	20.9	42.8	9.0*	4.4	20.8	20.3	21.8	22.9	2.2	1.0	1.0	2.1	35.5	.35	3.38	106.69	86.0		
Reg 124	2732	3/ 1/1 TW	.	117	265	1.06	1.00	20.8	49.4	10.3	4.7	20.3	19.9	20.3	23.2	1.7	1.0	1.3	1.9	32.0	.39	3.50	130.03	104.8		
Reg 125	2739	3/ 1/1 S	.	128	255	.91	.84	23.0	45.0	10.3	5.0	20.3	20.0	20.5	22.4	1.0	0.9	1.0	1.3	39.0	.39	3.25	122.33	98.6		

P before the test number designates a Polled ram

* after a value indicates reason this ram was not eligible for certification

R		Age Start Final		ADG		Fleece				Fiber Diameter, microns			Scores			Scrot. Fat Ribeye										
e Test	Flock	Birth	Birth of	Wt.	Wt.	Total Body	Gr. Yield	Clean	Stap.	Core	AFD	CV	Side	Britch	PF	Face	Belly	Body	circ.	Depth	Area	ROM	Index			
g No.	No.	date	type	Dam	9/26	2/13	lbs	lbs	Wt. (%)	Wt. len.				(%)	Face	Belly	Body	cm.	in.	sq.in.	Index	Ratio				

Pen 34		Powell, James L., FT. MCKAVETT																								
Sire:																										
Com 126	301	2/	./1	TW	.	118	241	.88	.82	19.9	57.4	11.4	5.5	21.5	19.4	22.6	24.1	2.2	0.7	1.0	1.2	38.0	.43	3.38	124.59	100.4
Com 127	302	2/	./1	TW	.	114	243	.92	.86	21.9	43.1	9.4	5.1	22.0	19.3	24.4	26.0	3.6	1.0	1.1	1.7	37.1	.39	3.25	115.77	93.3
Com 128	303	2/	./1	TW	.	120	221	.72	.68	16.0	56.1	9.0	5.2	22.4	18.5	22.9	26.1	4.3	0.8	1.7	1.3	36.2	.26	3.00	103.20	83.2
Com 129	304	2/	./1	TW	.	129	255	.90	.83	23.5	50.2	11.8	5.4	21.3	20.2	21.9	23.7	3.5	1.0	2.2	1.7	35.9	.43	3.06	126.21	101.7
Com 130	305	2/	./1	TW	.	126	252	.90	.84	20.1	53.3	10.7	4.9	20.1	19.2	22.0	23.8	1.2	0.6	1.3	1.2	32.9	.39	2.94	125.06	100.8
Com 131	306	2/	./1	S	.	124	231	.76	.71	20.3	45.4	9.2	4.7	24.7*	23.0	26.2*	31.1*14.1	0.9	1.0	1.8		35.1	.30	3.19	91.76	74.0
Com 132	307	2/	./1	S	.	133	275	1.01	.95	22.6	50.6	11.4	5.5	21.6	17.9	22.6	25.2	2.5	0.9	1.3	1.1	36.5	.39	3.75	133.74	107.8
Com 133	308	2/	./1	S	.	108	240	.94	.88	23.4	50.8	11.9	5.4	23.0	19.4	23.0	26.2	7.0	1.0	1.0	2.0	37.3	.35	3.13	124.87	100.6
Com 134	309	2/	./1	S	.	124	249	.89	.84	19.7	41.1	8.1*	4.7	21.8	19.2	23.3	24.4	2.9	0.9	1.5	1.5	40.0	.43	3.56	108.51	87.5
Com 135	310	2/	./1	S	.	140	284	1.03	.98	19.1	47.6	9.1	5.2	20.3	20.6	19.8	22.9	1.9	0.7	2.8	1.2	40.0	.39	3.50	125.27	101.0
Com 136	311	2/	./1	S	.	129	245	.83	.77	19.7	48.6	9.5	4.8	20.4	21.6	21.5	23.1	1.8	1.0	1.3	1.4	33.2	.35	3.56	112.00	90.3
Com 137	312	2/	./1	S	.	135	256	.86	.79	25.0	51.3	12.8	5.2	22.9	18.8	24.6	27.5	5.5	1.0	1.0	1.8	35.9	.39	3.25	123.82	99.8
Com 138	313	2/	./1	S	.	111	220	.78	.73	19.0	44.6	8.5*	5.1	22.4	23.1	22.9	26.1	4.1	1.2	1.2	1.2	33.1	.39	3.44	97.79	78.8
Com 139	314	2/	./1	S	.	121	228	.76	.69	26.6	50.1	13.3	5.1	23.1	20.5	23.6	26.1	6.3	1.1	1.0	2.3	33.9	.39	2.75	116.53	93.9
Com 140	315	2/	./1	S	.	139	260	.86	.81	20.8	45.3	9.4	4.7	21.0	19.8	21.3	24.6	2.2	1.0	1.2	1.9	35.3	.43	3.63	113.40	91.4
Com 141	316	2/	./1	S	.	104	227	.88	.82	21.9	50.7	11.1	5.1	21.0	17.8	22.5	25.0	1.1	1.0	1.2	1.5	37.9	.35	3.25	124.48	100.3
Com 142	317	2/	./1	S	.	136	242	.76	.69	22.6	43.6	9.8	5.1	22.3	17.9	24.0	26.1	2.8	1.1	1.0	1.1	36.9	.35	2.94	108.06	87.1
Com 143	318	2/	./1	S	.	127	249	.87	.83	16.1	45.8	7.4*	5.2	21.9	19.3	24.1	26.8	4.4	0.8	3.1	1.1	34.2	.39	2.69	106.18	85.6
Com 144	319	2/	./1	S	.	107	225	.84	.78	21.9	46.8	10.3	4.6	22.3	17.3	23.1	26.7	3.1	1.0	1.4	1.6	32.4	.39	3.00	112.99	91.1
Com 145	320	2/	./1	S	.	120	229	.78	.72	19.5	52.4	10.2	4.8	21.2	24.4	22.3	24.4	2.7	1.3	1.0	1.6	35.1	.39	3.13	105.82	85.3
Com 146	321	2/	./1	S	.	138	260	.87	.81	20.4	51.9	10.6	4.9	22.2	19.4	21.9	24.2	4.2	0.9	1.7	1.4	35.5	.39	3.06	116.33	93.8
Com 147	322	2/	./1	S	.	139	252	.81	.75	20.3	47.1	9.6	6.1	19.5	17.4	19.6	22.6	0.7	0.9	1.2	1.4	35.0	.39	3.06	119.26	96.1
Com 148	323	2/	./1	S	.	110	221	.79	.73	22.8	46.5	10.6	5.1	22.9	17.7	23.5	26.0	4.1	1.0	1.0	1.6	34.3	.35	3.38	111.48	89.8
Com 149	324	2/	./1	S	.	114	248	.96	.89	25.8	50.2	12.9	5.4	20.7	19.4	22.0	23.6	1.7	1.0	1.0	1.8	34.3	.35	3.31	136.49	110.0
Com 151	326	2/	./1	S	.	126	238	.80	.75	16.9	49.0	8.3*	4.7	22.0	18.1	23.1	24.1	1.6	0.9	1.1	1.2	34.9	.35	3.25	105.05	84.7
Com 152	327	2/	./1	S	.	115	220	.75	.70	18.7	58.9	11.0	4.8	22.1	19.6	24.3	26.0	2.9	1.4	1.0	1.2	35.3	.26	3.00	110.76	89.3
Com 153	328	2/	./1	S	.	107	222	.82	.77	19.7	47.1	9.3	5.1	22.1	24.2	22.3	25.0	3.3	1.0	1.0	1.1	33.1	.39	3.19	103.07	83.1
Com 154	329	2/	./1	S	.	136	202	.47*	.41	20.4	48.2	9.8	4.5	22.3	23.1	23.2	25.0	7.7	1.0	1.0	1.8	32.3	.30	2.81	82.76	66.7
Com 155	330	2/	./1	S	.	120	259	.99	.93	23.9	47.1	11.3	4.8	22.9	18.6	24.2	26.9	6.6	1.0	1.0	2.3	40.5	.43	3.31	124.13	100.0
Com 156	331	2/	./1	S	.	107	221	.81	.75	22.0	51.7	11.4	5.0	21.1	16.7	23.3	24.5	1.5	1.0	1.3	1.5	34.5	.35	3.50	121.26	97.7
Com 157	332	2/	./1	S	.	128	248	.86	.80	19.0	41.2	7.8*	4.6	21.1	21.4	22.4	26.3	3.4	1.0	2.0	1.1	35.5	.39	3.25	103.97	83.8
Com 158	333	2/	./1	S	.	134	255	.86	.80	23.7	53.9	12.8	5.4	24.1*	19.5	25.2*	29.0*11.3	0.8	1.0	1.8		40.0	.35	3.19	120.32	97.0
Com 159	334	2/	./1	S	.	116	233	.84	.78	20.8	47.6	9.9	4.5	24.4*	18.1	24.0	27.5	9.2	0.7	1.1	1.8	33.4	.43	2.94	104.55	84.3
Com 160	335	2/	./1	S	.	109	241	.94	.88	24.2	47.1	11.4	5.5	23.0	20.6	23.4	27.6	5.2	1.0	1.1	1.8	33.9	.52	3.00	121.43	97.9
Com 161	336	2/	./1	S	.	112	245	.95	.89	20.9	48.6	10.2	5.5	20.9	19.8	22.0	24.6	1.5	1.0	1.3	1.2	32.1	.35	3.44	124.92	100.7
Com 162	337	2/	./1	S	.	145	266	.86	.81	19.6	39.1	7.7*	3.9*	22.0	17.7	22.6	24.2	2.9	0.8	1.0	1.2	34.8	.39	3.38	102.54	82.6
Com 163	338	2/	./1	S	.	117	219	.73	.67	19.6	45.1	8.8*	4.8	22.8	18.7	23.2	26.6	4.8	0.3	1.0	1.2	34.4	.35	3.00	99.59	80.3
Com 164	339	2/	./1	S	.	137	249	.80	.75	19.4	55.6	10.8	5.2	20.2	17.9	20.6	22.4	1.4	1.0	1.9	1.1	37.9	.39	3.44	121.63	98.0
Com 165	340	2/	./1	S	.	130	259	.92	.87	18.7	37.6	7.0*	4.5	20.8	21.3	21.5	25.3	1.8	0.6	1.4	1.1	35.9	.48	3.94	105.43	85.0

P before the test number designates a Polled ram

* after a value indicates reason this ram was not eligible for certification