

R	e	Test	Flock	Birth	Birth	of	Wt.	Wt.	Total	Body	Gr.	Yield	Fleece	Clean	Stap.	Core	Comfort	Face	Belly	Body	Scrot.	Fat	Ribeye	ROM	Index		
g	No.	No.	date	type	Dam	9/25	2/12	lbs	lbs	Wt.	(%)	Wt.	len.	AFD	CV	Side	Britch	(%)	Cover	Wool	Folds	cm.	in.	sq.in.	Index		

Pen 1 Schunke Ranch, GOLDTHWAITE																											
Sire:B FARIS 388																											
Reg	1	1772	11/	./1	S	3	172	306	.96	.85	38.4	37.8	14.5	5.6	22.2	20.9	23.8	26.4	96.5	1.0	1.5	1.6	40.2	.41	3.81	134.50	121.6
Reg	2	1791	11/	./1	S	5	171	299	.91	.85	24.3	43.7	10.6	5.1	22.6	19.8	23.1	26.0	97.1	1.0	1.7	1.3	38.0	.38	2.96	117.23	106.0
Sire:C&S MENZIES 2454																											
Reg	3	1878	1/	./2	S	2	148	282	.96	.86	36.5	30.8	11.3	5.2	23.0	22.8	24.2	26.5	95.9	1.0	1.0	1.3	42.1	.39	3.03	116.05	95.5
Sire:SCHUNKE 1287																											
Reg	4	1768	11/	./1	S	4	158	269	.79	.72	24.3	34.3	8.3*	5.0	22.7	20.4	23.8	25.0	96.4	0.9	2.0	1.1	41.9	.42	3.28	99.41	89.9
Sire:SCHUNKE 286																											
Reg	5	1706	10/	./1	S	2	177	284	.76	.71	20.8	43.6	9.1	5.4	23.0	18.1	24.2	26.9	97.0	0.7	1.8	1.1	36.2	.34	3.73	105.03	95.0

Pen 2 Henson, Don, GOLDTHWAITE																											
Sire:NIELSON A8607																											
Reg	6	962	3/	1/2	S	3	118	262	1.03	.96	24.1	38.7	9.3	4.5	25.5*	22.5	26.6*	30.8*	89.2	1.0	1.5	2.2	37.1	.39	3.57	106.57	87.7
Sire:S MENZIES 866																											
Reg	7	901	11/	1/1	TW	5	203	312	.78	.72	22.1	43.6	9.7	4.7	24.3*	20.6	24.3	27.7	93.4	0.9	3.0	1.1	38.5	.38	3.80	98.16	88.8
Reg	8	902	11/	1/1	S	4	191	309	.84	.76	28.0	42.3	11.8	5.1	25.1*	19.5	25.8*	26.9	90.3	1.0	1.3	1.1	42.2	.27	3.26	110.89	100.3
Reg	9	946	11/21/1		S	3	193	311	.84	.78	24.0	47.8	11.4	4.7	24.2*	20.3	24.9	26.8	93.7	0.8	1.7	1.0	39.1	.40	3.51	109.58	99.1

Pen 7 Yates, Janelle, MENARD																											
Sire:MERINO X																											
Com	10	43	9/	./1	S	3	138	280	1.01	.95	21.8	39.5	8.6*	4.5	22.2	19.5	22.6	24.6	98.1	1.0	2.5	1.4	35.2	.43	4.03	114.81	103.8
ComP	11	44	9/	./1	S	.	179	320	1.01	.94	22.8	37.2	8.5*	3.8*	22.2	19.4	23.8	26.3	97.5	0.8	2.5	1.3	37.5	.47	4.04	111.31	100.6
Com	12	45	9/	./1	S	.	169	301	.94	.86	27.9	39.2	10.9	5.0	23.6	19.1	24.4	27.3	94.1	1.4	2.5	1.1	39.5	.43	3.35	117.08	105.9

Pen 9 Matthews, Hensel, SONORA																											
Sire:X																											
Com	13	485	10/15/1		TR	.	116*	243	.91	.82	30.3	38.1	11.6	5.3	23.0	18.4	23.9	26.8	96.6	1.3	1.0	2.2	37.0	.29	3.15	121.06	109.5
Com	14	486	10/	./1		.	124*	220	.69	.62	23.2	43.4	10.1	4.9	22.6	17.6	23.5	27.8	97.2	1.0	1.5	1.2	35.9	.39	3.34	102.90	93.0
Com	15	487	10/	./1		.	111*	206	.68	.60	27.6	30.7	8.5*	6.0	22.9	19.8	23.5	28.6*	96.2	1.0	1.3	1.6	35.1	.30	2.71	94.64	85.6
Com	16	488	10/	./1		.	135	236	.72	.65	24.1	49.2	11.9	5.7	24.0*	18.0	24.5	29.0*	94.0	1.0	1.4	1.6	36.5	.39	3.43	110.34	99.8
Com	17	489	10/	./1		.	133*	227	.67	.61	21.4	43.5	9.3	5.1	24.2*	23.4	25.7*	28.8*	91.2	1.0	1.5	1.4	33.9	.31	3.26	88.57	80.1
Com	18	490	10/	./1		.	147	254	.76	.68	29.2	37.4	10.9	5.4	24.1*	20.7	25.4*	28.6*	93.3	1.0	1.5	1.7	34.9	.37	3.24	104.50	94.5
Com	19	491	10/	./1		.	129*	232	.74	.67	24.2	36.6	8.9*	4.5	23.1	18.3	23.8	28.0*	95.6	1.5	1.0	1.7	38.2	.35	3.46	97.61	88.3
Com	20	492	10/	./1		.	134*	225	.65	.58	25.5	41.3	10.5	5.1	21.2	21.7	21.7	24.3	98.2	1.0	1.3	1.8	34.0	.35	3.35	103.19	93.3

P before the test number designates a Polled ram

* after a value indicates reason this ram was not eligible for certification

R		Age		Start		Final		ADG		Fleece		Fiber Diameter, microns				Scores				Scrot. Fat Ribeye							
e	Test	Flock	Birth	Birth	of	Wt.	Wt.	Total	Body	Gr.	Yield	Clean	Stap.	Core	Comfort	Face	Belly	Body	circ.	Depth	Area	ROM	Index				
g	No.	No.	date	type	Dam	9/25	2/12	lbs	lbs	Wt.	(%)	Wt.	len.	AFD	CV	Side	Britch	(%)	Cover	Wool	Folds	cm.	in.	sq.in.	Index	Ratio	

Pen 36		TAES, Barnhart, SAN ANGELO																									
		Sire:TAES B3167																									
Reg	21	3520	2/	./2	4	126	237	.79	.71	30.1	44.9	13.5	6.3	22.0	17.6	23.1	26.6	98.7	1.1	1.5	1.4	34.0	.37	3.44	126.21	103.9	
		Sire:TAES 6987																									
Reg	23	3420	2/	./2	3	127	237	.79	.72	22.1	46.0	10.2	5.6	21.5	19.8	21.2	25.2	98.5	1.0	1.3	1.1	36.0	.32	2.82	112.98	93.0	
Reg	24	3428	2/	./2	2	137	252	.82	.76	23.0	42.2	9.7	5.2	20.3	18.8	20.8	22.9	99.2	1.0	1.3	1.1	35.5	.53	3.01	117.11	96.4	
Reg	25	3470	2/	./2	9	140	251	.79	.70	32.6	38.4	12.5	5.1	23.6	20.6	23.6	25.9	93.8	1.0	1.2	1.7	34.9	.29	3.46	112.11	92.3	
Reg	26	3477	2/	./2	2	130	262	.94	.87	24.8	42.5	10.6	4.5	23.1	18.9	24.1	26.1	96.6	1.3	1.4	1.4	35.2	.28	2.99	116.08	95.5	
Reg	27	3487	2/	./2	2	133	260	.91	.82	30.5	40.6	12.4	5.1	21.4	19.6	22.0	23.7	98.4	1.0	1.7	1.4	34.1	.28	3.71	126.64	104.2	
Reg	28	3522	2/	./2	4	134	255	.86	.78	31.0	43.2	13.4	5.8	20.9	24.0	20.6	23.1	98.7	1.1	2.0	1.2	36.0	.35	2.90	125.50	103.3	
		Sire:TAES 7118																									
Reg	29	3410	2/	./2	4	149	282	.95	.86	32.6	39.4	12.9	5.1	22.5	18.4	23.7	25.7	97.3	1.0	1.3	1.8	36.1	.33	3.60	128.80	106.0	
Reg	30	3417	2/	./2	4	130	258	.91	.83	31.3	39.4	12.3	5.1	25.5*	19.7	27.0*	29.7*	86.5	1.7	1.0	1.8	38.2	.41	3.76	116.09	95.5	
Reg	31	3418	2/	./2	9	145	251	.76	.70	20.3	43.5	8.9*	5.5	21.5	16.8	22.5	23.9	98.7	1.0	1.2	1.4	33.0	.36	3.27	108.50	89.3	
Reg	33	3439	2/	./2	5	119	263	1.03	.94	30.9	40.2	12.4	5.5	23.0	19.9	24.2	25.7	94.1	1.0	1.0	2.7	37.5	.38	3.01	130.49	107.4	
Reg	34	3453	2/	./2	2	132	278	1.04	.94	35.4	41.7	14.8	5.8	22.0	18.8	22.9	25.0	98.0	0.7	1.3	1.5	36.1	.32	3.34	144.29	118.7	
Reg	35	3454	2/	./2	2	140	274	.96	.85	38.2	30.0	11.5	5.1	21.1	20.3	21.9	24.5	98.6	1.1	1.8	1.2	36.0	.44	3.32	124.73	102.6	
Reg	36	3489	2/	./2	3	142	261	.85	.76	30.5	47.2	14.4	5.8	25.0*	18.4	25.4*	29.6*	89.9	1.3	1.2	1.7	36.1	.29	3.80	123.92	102.0	
Reg	37	3498	2/	./2	4	113	254	1.01	.91	33.1	35.5	11.7	5.2	23.0	21.3	24.0	26.8	94.3	2.4	1.5	1.7	37.3	.46	3.10	123.34	101.5	
Reg	38	3506	2/	./2	4	133	248	.82	.73	33.0	39.8	13.1	6.1	21.4	19.9	21.6	24.8	98.4	1.0	1.0	1.8	33.9	.29	3.28	125.53	103.3	
Reg	39	3507	2/	./2	8	127	235	.77	.70	25.7	51.5	13.3	5.8	21.0	20.7	21.3	23.0	98.5	0.8	2.0	1.8	34.6	.42	3.48	124.31	102.3	
Reg	40	3511	2/	./2	2	141	271	.93	.83	35.6	40.4	14.4	6.2	20.5	22.8	20.7	24.6	98.3	1.0	1.5	1.5	37.0	.30	3.33	135.49	111.5	
Reg	41	3525	2/	./2	4	153	282	.92	.83	32.5	35.5	11.5	5.0	22.1	21.3	22.4	25.0	97.9	0.9	1.5	1.7	36.5	.30	3.69	119.06	98.0	
Reg	42	3527	2/	./2	5	140	261	.86	.78	30.5	36.8	11.2	5.1	19.4	17.3	20.6	22.1	99.6	1.0	1.7	1.8	39.5	.32	3.10	126.26	103.9	

Pen 3		H & C Livestock, SAN ANGELO																									
		Sire:TAES 7171																									
Reg	44	267	3/10/2	S	5	146	282	.97	.87	34.9	41.4	14.5	5.0	23.3	19.7	23.7	26.6	96.1	1.2	1.0	2.3	33.0	.38	3.36	131.67	108.4	
Reg	45	268	3/10/2	TW	5	149	270	.86	.78	29.0	44.1	12.8	5.4	20.7	21.3	21.6	23.4	98.3	1.1	1.0	1.6	36.8	.36	3.42	127.35	104.8	
Reg	46	271	3/ 1/2	S	2	139	244	.75	.66	32.4	39.5	12.8	5.5	20.7	16.9	21.1	23.9	99.2	1.1	1.3	1.7	32.0	.19	3.19	124.51	102.5	
Reg	47	276	3/25/2	TW	3	112	245	.95	.87	28.7	40.9	11.7	5.0	21.7	17.5	22.5	25.1	98.5	1.1	1.2	1.8	35.2	.38	3.19	127.49	104.9	

Pen 6		Landers Ranch, MENARD																									
		Sire:TAES 7003																									
Reg	48	727	2/	./2	TW	3	136	256	.86	.79	23.3	43.1	10.1	5.2	20.7	19.3	21.5	21.8	98.7	1.0	1.7	1.3	36.2	.39	3.41	118.79	97.8
Reg	49	732	2/	./2	TW	6	133	263	.93	.85	27.8	39.1	10.9	5.4	21.8	21.7	22.3	23.4	97.3	1.7	1.8	1.1	39.8	.31	3.48	119.76	98.6
Reg	50	758	2/	./2	TW	4	131	242	.79	.72	24.7	43.7	10.8	5.1	21.6	19.2	22.4	24.3	98.3	1.1	1.5	1.3	39.8	.34	3.72	114.66	94.4
Reg	51	776	2/	./2	TW	2	126	229	.74	.67	24.8	40.8	10.1	5.0	21.1	19.6	22.6	25.2	97.9	3.0*	1.2	1.6	36.0	.37	2.81	108.58	89.4

P before the test number designates a Polled ram

* after a value indicates reason this ram was not eligible for certification

R	Age	Start	Final	ADG	Fleece				Fiber Diameter, microns				Scores				Scrot. Fat		Ribeye							
e Test	Flock	Birth	Birth	Wt.	Wt.	Total	Body	Gr.	Yield	Clean	Stap.	Core	Comfort	Face	Belly	Body	circ.	Depth	Area	ROM	Index					
g No.	No.	date	type	Dam	9/25	2/12	lbs	lbs	Wt.	(%)	Wt. len.	AFD	CV	Side	Britch	(%)	Cover	Wool	Folds	cm.	in.	sq.in.	Index	Ratio		

Pen 8 Hellwig Rambouillets, Gentry, AR																										
Sire:FINCHER 1693																										
Reg	52	648	2/17/2	S	2	152	298	1.04	.96	28.9	44.5	12.8	5.1	21.9	18.9	23.6	25.5	98.7	0.8	1.7	1.5	33.0	.41	3.81	136.32	112.2
Reg	53	676	2/23/2	TW	2	114	251	.98	.91	22.8	42.8	9.7	5.0	20.9	22.0	21.8	22.7	98.8	1.1	2.3	1.3	37.1	.34	3.45	119.96	98.7
Sire:TVB 702-96																										
Reg	54	656	2/19/2	S	3	165	326	1.15	1.07	29.0	36.3	10.5	4.6	24.4*	21.9	26.5*	30.8*	89.5	1.1	1.7	1.5	37.0	.38	3.04	120.23	98.9
Reg	55	657	2/19/2	TW	4	139	286	1.05	.95	36.3	46.2	16.8	5.4	22.2	21.1	22.7	25.3	96.9	1.1	2.5	2.3	34.0	.31	3.21	148.98	122.6
Pen 37 TAES, Sonora, SONORA																										
Sire:TAES 6808																										
Reg	56	7547	2/ . /2	TW	4	131	241	.79	.72	24.9	46.9	11.7	5.2	21.2	17.7	22.3	22.7	99.1	0.8	1.0	3.5	36.8	.40	3.54	120.80	99.4
Reg	57	7551	2/ . /2	TW	4	137	256	.85	.78	26.3	43.3	11.4	5.1	20.6	17.8	21.3	22.6	99.3	1.0	1.7	1.2	36.0	.33	3.29	124.34	102.3
Reg	58	7557	2/ . /2	TW	3	123	258	.96	.87	34.1	47.4	16.2	5.8	22.0	18.0	23.0	24.7	98.0	1.0	1.0	3.4	36.9	.30	3.59	146.48	120.6
Reg	60	7631	2/ . /2	TW	4	116	235	.85	.77	30.1	42.5	12.8	5.5	21.8	18.2	23.0	23.9	98.3	0.8	2.2	2.3	31.9	.41	2.96	126.96	104.5
Reg	61	7634	2/ . /2	S	4	132	248	.83	.75	28.5	37.8	10.8	4.9	21.4	21.6	22.9	24.4	98.4	0.8	1.0	1.5	37.2	.41	3.09	112.65	92.7
Sire:TAES 7023																										
Reg	62	7620	2/ . /2	TW	4	121	267	1.04	.96	31.4	44.6	14.0	6.9	20.8	18.6	21.3	23.7	99.2	0.9	1.8	1.8	36.2	.45	3.41	145.66	119.9
Sire:TAES B2888																										
Reg	63	7502	2/ . /2	TW	2	139	263	.89	.81	26.1	41.4	10.8	5.8	20.4	19.0	20.8	22.7	99.1	1.4	2.0	1.6	36.2	.34	3.06	125.29	103.1
Reg	64	7507	2/ . /2	TW	3	143	273	.93	.85	27.2	48.2	13.1	5.6	21.0	17.5	20.7	23.7	99.1	1.1	1.5	1.4	35.3	.43	3.86	136.30	112.2
Reg	65	7513	2/ . /2	S	2	134	288	1.10	1.02	29.2	37.3	10.9	6.0	19.8	17.0	19.9	22.3	99.6	0.9	3.0	1.3	36.6	.23	3.00	140.72	115.8
Reg	66	7527	2/ . /2	S	2	118	217	.71	.62	31.0	44.0	13.7	5.8	22.4	16.4	23.2	24.0	98.4	1.7	1.5	1.8	35.9	.34	2.85	120.43	99.1
Reg	67	7528	2/ . /2	TW	2	115	236	.86	.79	28.3	38.2	10.8	6.1	19.8	19.4	20.3	20.4	99.2	0.8	1.8	1.4	37.0	.22	3.99	124.63	102.6
Reg	69	7533	2/ . /2	S	2	154	286	.94	.87	27.8	38.1	10.6	5.1	22.7	19.5	24.1	25.2	96.0	1.0	1.5	1.2	38.2	.31	3.72	118.45	97.5
Reg	70	7536	2/ . /2	S	2	136	254	.84	.75	33.8	44.3	15.0	6.6	21.8	17.2	23.2	25.4	98.7	1.0	1.0	1.6	35.5	.37	3.37	135.04	111.1
Reg	71	7546	2/ . /2	TW	2	139	256	.84	.76	28.1	42.5	12.0	6.3	21.4	18.0	22.3	23.9	98.7	1.0	1.3	1.3	35.8	.29	3.25	124.67	102.6
Reg	72	7549	3/ . /2	S	2	136	246	.79	.71	28.7	39.3	11.3	5.3	20.7	22.8	21.2	23.1	99.2	1.0	1.3	1.4	35.2	.30	3.09	114.36	94.1
Reg	73	7550	2/ . /2	S	2	140	247	.76	.69	27.5	49.0	13.5	5.5	20.4	19.0	21.2	24.0	99.2	1.2	1.3	1.4	36.9	.28	3.60	128.47	105.7
Reg	74	7570	2/ . /2	S	2	161	300	.99	.91	30.7	43.7	13.4	6.1	21.2	17.8	21.6	24.6	99.1	1.0	1.5	1.1	38.5	.37	3.83	140.05	115.3
Reg	75	7609	2/ . /2	S	2	154	287	.95	.87	29.5	38.3	11.3	5.9	21.5	18.9	22.5	24.3	98.3	1.0	1.5	1.1	38.5	.30	3.08	127.24	104.7
Sire:TAES B3252																										
Reg	77	7542	2/ . /2	TW	3	126	268	1.01	.93	30.6	38.2	11.7	5.8	20.5	20.6	21.1	24.3	98.8	1.0	1.0	1.4	39.5	.37	3.60	133.30	109.7
Reg	78	7606	2/ . /2	TW	4	127	254	.91	.82	29.8	39.5	11.8	5.8	22.6	19.5	22.9	25.5	97.0	1.0	1.1	1.8	35.8	.27	3.43	122.44	100.8
Reg	79	7610	2/ . /2	TW	3	149	303	1.10	1.01	32.0	47.2	15.1	6.2	20.6	18.2	21.7	23.7	99.3	1.0	1.3	1.5	41.0	.37	3.69	154.70	127.3
Reg	81	7617	2/ . /2	TW	3	135	251	.83	.74	31.4	40.7	12.8	5.7	20.9	17.4	21.6	23.7	99.3	1.2	1.5	1.6	39.1	.47	3.77	128.65	105.9
Pen 15 Bradford, Maurice, SAN ANGELO																										
Sire:WB 2233																										
Reg	82	9	11/15/1	S	3	210	332	.87	.80	25.0	40.7	10.2	4.7	24.1*	21.7	26.4*	29.8*	93.2	1.0	1.2	1.1	36.2	.59	3.88	104.50	94.5
Reg	83	19	11/10/1	TW	3	211	323	.80	.75	19.7	42.0	8.3*	4.8	23.9*	18.4	24.3	28.8*	92.8	1.0	2.8	1.0	41.5	.44	3.46	98.30	88.9
Pen 15 Bradford, Larry, SAN ANGELO																										
Sire:WB 2233																										
Reg	84	62	11/ . /1	TW	3	195	282	.62	.56	23.7	37.5	8.9*	4.4	21.7	20.3	22.7	23.9	97.9	1.6	2.5	1.1	37.2	.43	4.11	91.99	83.2
Reg	85	63	11/ . /1	S	3	214	327	.81	.74	25.3	34.9	8.8*	4.6	24.6*	17.6	25.6*	28.0*	93.3	1.0	1.3	1.1	40.3	.42	4.24	97.98	88.6

* after a value indicates reason this ram was not eligible for certification

R	e	Test	Flock	Birth	Birth	of	Wt.	Wt.	Total	Body	Gr.	Yield	Clean	Stap.	Core	Comfort	Face	Belly	Body	Scrot.	Fat	Ribeye	ROM	Index			
g	No.	No.		date	type	Dam	9/25	2/12	lbs	lbs	Wt.	(%)	Wt.	len.	AFD	CV	Side	Britch	(%)	Cover	Wool	Folds	cm.	in.	sq.in.	Index	Ratio

Pen 4 Hill Country Rambouillet, SONORA																											
Sire:HCR 577																											
Reg	86	654		1/15/2	S	2	108	246	.99	.93	20.5	38.0	7.8*	4.3	21.6	20.6	24.0	25.7	97.7	1.3	2.3	1.4	40.3	.36	3.27	109.46	90.1
Reg	87	655		1/15/2	S	4	138	267	.92	.85	24.5	40.0	9.8	5.0	21.9	22.5	23.6	25.5	97.9	1.3	1.3	1.3	35.2	.33	3.56	112.57	92.6
Sire:HCR 634																											
Reg	88	644		1/15/2	S	6	123	260	.98	.89	30.3	39.4	11.9	5.3	23.2	20.0	23.8	27.6	95.7	1.0	1.3	1.4	38.7	.29	3.37	124.32	102.3
Reg	90	656		1/15/2	S	4	118	214	.69	.63	19.0	41.7	7.9*	5.0	21.1	18.4	22.4	26.1	98.8	1.0	2.8	1.0	31.0	.29	3.87	99.49	81.9
Reg	91	670		1/15/2	S	4	125	271	1.04	.97	24.8	37.7	9.3	5.0	23.2	21.1	25.9*	28.3*	94.8	0.8	1.8	1.3	37.8	.37	3.74	116.01	95.5

Pen 16 Menzies, C & S, SAN ANGELO																											
Sire:C&S MENZIES 2464																											
Reg	92	2750		11/ . /1	S	5	196	315	.85	.79	22.5	38.0	8.5*	5.1	21.3	17.5	22.5	24.4	99.0	0.8	1.7	1.1	40.5	.53	3.85	111.59	100.9
Reg	93	2763		12/ . /1	S	2	163	260	.69	.61	28.5	43.4	12.4	5.2	21.5	21.1	22.4	23.9	97.6	1.6	1.3	1.6	38.2	.31	3.73	112.66	101.9
Reg	94	2767		11/ . /1	S	2	208	328	.86	.79	24.9	35.8	8.9*	5.0	22.4	20.9	24.0	25.7	96.6	1.0	1.5	1.1	40.0	.35	3.47	105.76	95.6
Reg	95	2771		12/ . /1	S	2	170	294	.89	.80	31.4	44.7	14.0	5.3	21.4	17.0	22.1	24.8	98.9	1.1	1.9	1.5	37.2	.37	3.68	134.80	121.9
Reg	96	2778		3/ . /2	S	2	122	261	.99	.91	28.3	47.0	13.3	5.5	22.3	19.2	23.2	25.7	96.9	1.9	1.3	1.3	36.3	.31	2.87	135.29	111.3
Reg	97	2787		3/ . /2	S	2	116	228	.80	.73	26.5	40.6	10.8	5.6	19.2	17.7	20.1	21.5	99.5	1.9	2.1	1.2	33.9	.30	3.29	122.56	100.9
Reg	98	2792		3/ . /2	S	2	106	232	.90	.83	24.2	41.7	10.1	5.1	21.5	18.8	22.1	24.3	98.5	1.0	2.2	1.2	32.6	.27	3.97	119.16	98.1
Sire:C&S MENZIES 2532																											
Reg	99	2805		2/ . /2	S	5	125	268	1.02	.94	27.8	33.1	9.2	5.1	21.7	21.8	22.4	25.8	98.0	0.7	1.3	1.3	35.5	.43	3.72	117.46	96.7
Reg	100	2834		3/ . /2	TW	4	107	244	.98	.91	23.5	47.3	11.1	5.4	21.2	20.3	21.4	24.7	98.6	1.1	1.8	1.3	33.2	.30	3.25	128.12	105.4
Reg	101	2836		12/ . /1	S	6	163	308	1.04	.95	29.4	45.4	13.4	5.2	21.6	19.8	23.1	24.7	98.0	1.7	1.0	1.4	35.5	.43	3.46	138.14	124.9
Reg	102	2837		12/ . /1	TW	3	162	302	1.00	.92	26.9	43.6	11.7	5.3	23.4	17.5	24.6	29.0*	96.9	1.0	1.1	1.4	39.0	.34	3.45	127.09	114.9
Reg	103	2839		12/ . /1	S	6	165	292	.91	.84	23.0	45.1	10.4	4.9	19.6	18.1	20.5	22.8	99.4	1.1	2.7	1.2	36.1	.37	3.30	125.47	113.4
Reg	104	2854		12/ . /1	S	5	152	282	.93	.86	26.3	47.5	12.5	5.8	22.7	17.4	23.1	26.7	97.1	1.0	1.7	1.3	37.5	.50	3.67	129.03	116.7
Reg	105	2872		2/ . /2	S	6	145	256	.79	.71	29.0	44.2	12.8	4.9	22.5	20.8	23.0	28.1*	95.1	0.8	1.0	1.6	34.5	.40	3.73	116.28	95.7
Reg	107	2876		3/ . /2	S	6	140	271	.94	.86	26.9	42.7	11.5	4.9	21.8	22.4	22.3	25.6	98.0	1.0	1.7	1.1	37.0	.32	3.53	119.90	98.7

P before the test number designates a Polled ram

* after a value indicates reason this ram was not eligible for certification

R		Age Start Final		ADG		Fleece			Fiber Diameter, microns				Scores			Scrot. Fat Ribeye			
e Test Flock	Birth Birth of	Wt. Wt.	Total Body Gr. Yield Clean Stap.	Core		Comfort Face Belly Body	circ. Depth Area	ROM	Index										
g No. No.	date type Dam	9/25 2/12	lbs lbs Wt. (%) Wt. len.	AFD	CV	Side Britch (%) Cover Wool Folds	cm. in. sq.in.	Index	Ratio										
*****											*****								
Pen 34 Our Father's Place, Moore, FT. STOCKTON											*****								
Sire:OPF 956											*****								
Com 108	2005	3/ . /2	. 124 254	.93 .82	39.1 48.1	18.8 5.6	21.9 17.8	22.1 24.9	98.2 1.1	1.0 3.1	37.0 .29	3.03	154.27	127.0					
Com 109	2007	3/ . /2	. 137 254	.84 .76	25.4 44.3	11.3 5.8	20.7 20.3	21.1 26.1	99.0 2.5	1.0 1.2	35.6 .24	3.62	121.62	100.1					
Com 110	2008	3/ . /2	. 131 262	.94 .85	29.2 45.4	13.3 6.0	20.2 17.5	21.1 23.3	99.5 1.0	1.6 1.1	37.0 .28	3.75	139.55	114.8					
Com 111	2025	3/ . /2	. 134 260	.90 .81	33.1 49.9	16.5 6.0	20.4 20.6	20.0 22.0	99.2 1.3	1.2 1.5	35.0 .29	3.87	145.66	119.9					
Com 112	2028	3/ . /2	. 132 274	1.01 .92	34.1 41.9	14.3 6.1	22.4 16.2	23.0 23.8	98.4 2.2	1.7 1.5	39.5 .41	3.44	140.77	115.8					
Com 113	2035	3/ . /2	. 143 267	.89 .79	34.0 39.9	13.6 6.3	22.4 18.8	21.9 25.1	98.2 1.3	1.0 1.4	39.8 .29	3.49	129.31	106.4					
Com 114	2041	3/ . /2	. 127 271	1.03 .93	35.0 43.2	15.1 6.5	23.0 18.0	23.5 27.9*	96.2 1.0	1.0 1.9	40.0 .26	2.98	142.85	117.6					
Sire:OPF 829											*****								
Com 115	2046	3/ . /2	. 115 233	.84 .77	25.6 49.8	12.8 6.1	21.5 20.5	21.5 23.9	97.5 1.7	1.3 1.5	34.8 .31	3.67	125.48	103.3					
Com 116	2047	3/ . /2	. 136 247	.79 .72	24.5 47.1	11.5 5.5	21.6 17.6	22.2 23.7	98.4 1.1	2.3 1.2	36.3 .32	3.22	120.64	99.3					
Com 117	2048	3/ . /2	. 128 259	.94 .85	31.9 48.6	15.5 5.8	21.6 20.0	22.4 25.9	97.9 1.2	1.0 2.0	35.0 .26	3.22	141.09	116.1					
Com 119	2066	3/ . /2	. 106 224	.84 .76	29.8 47.1	14.0 5.0	22.1 19.8	22.1 24.4	96.2 2.6	1.1 2.3	35.5 .30	3.47	126.89	104.4					
Com 120	2070	3/ . /2	. 116 238	.87 .79	27.6 43.0	11.9 5.1	23.1 19.9	24.1 26.7	94.7 2.2	1.3 3.2	39.5 .32	4.03	117.68	96.8					
Com 121	2074	3/ . /2	. 129 239	.79 .71	27.7 45.8	12.7 5.8	20.1 18.1	20.9 23.2	98.8 1.0	2.3 1.7	35.3 .35	3.22	128.48	105.7					
Sire:X											*****								
Com 122	2080	3/ . /2	. 144 265	.86 .78	29.4 39.2	11.6 5.4	22.1 19.7	22.6 23.4	97.7 1.0	1.4 1.5	36.2 .40	3.39	120.09	98.8					
Com 123	2083	3/ . /2	. 108 238	.93 .84	31.1 50.3	15.6 6.5	24.6* 18.9	24.9 27.1	91.2 1.6	1.4 1.5	36.2 .35	3.32	133.75	110.1					
Com 124	2084	3/ . /2	. 95* 211	.83 .75	27.5 38.9	10.7 6.5	21.2 17.9	21.8 24.0	98.3 1.0	2.0 1.5	33.9 .31	3.12	120.01	98.8					
Com 125	2085	3/ . /2	. 128 237	.78 .69	31.6 49.7	15.7 6.3	20.2 20.6	19.8 22.0	98.6 1.2	1.5 1.3	36.0 .38	3.09	135.98	111.9					
Com 126	2086	3/ . /2	. 124 233	.78 .70	28.3 48.4	13.7 5.7	23.5 20.7	24.3 27.4	94.9 1.0	1.6 3.2	37.9 .35	3.39	118.45	97.5					
*****											*****								
Pen 5 Angelo State Univ., SAN ANGELO											*****								
Sire:ASU 5324											*****								
Reg 127	5463	3/ 6/2 s	6 139 271	.94 .86	30.7 40.3	12.4 5.2	23.7 17.8	24.6 27.4	94.6 1.4	1.0 1.2	35.1 .29	3.31	124.45	102.4					
Sire:B FARIS 392											*****								
Reg 128	5549	2/ 5/2 TW	3 152 285	.95 .88	26.2 37.3	9.7 4.8	21.2 17.7	21.6 25.5	98.7 1.2	1.3 1.1	37.6 .50	3.59	120.85	99.5					
*****											*****								
Pen 11 Jernigan Ranch, IRAAN											*****								
Sire:M JERNIGAN 5715											*****								
Reg 130	1093	3/ . /2	. 122 235	.81 .73	25.9 49.2	12.7 6.5	22.1 16.4	22.9 25.8	98.4 1.0	1.0 1.8	34.5 .38	3.82	124.30	102.3					
Reg 131	1100	3/ . /2	. 137 284	1.05 .98	25.6 43.9	11.3 5.1	22.4 22.0	22.3 24.4	97.0 1.0	1.0 1.2	35.0 .42	3.45	125.52	103.3					
Reg 132	1330	3/ . /2	. 125 229	.74 .66	29.4 51.2	15.1 5.6	22.4 16.6	23.0 25.3	97.9 0.8	1.0 2.0	34.8 .44	3.11	128.44	105.7					
Reg 133	1374	3/ . /2	. 136 256	.86 .78	27.1 46.6	12.6 5.6	22.9 19.0	22.6 25.4	96.8 2.0	1.7 1.4	36.2 .31	3.36	123.10	101.3					
Sire:M JERNIGAN 6968											*****								
Reg 134	1410	3/ . /2	. 133 255	.87 .80	25.1 48.6	12.2 5.2	20.8 19.4	21.5 23.3	99.0 1.0	1.8 1.5	37.0 .29	3.25	127.25	104.7					
Reg 135	665	3/ . /2	. 131 274	1.02 .94	30.4 43.8	13.3 6.2	21.1 19.3	21.0 24.0	98.3 1.0	1.3 1.4	39.1 .30	3.48	140.24	115.4					
Reg 136	701	3/ . /2	. 121 255	.96 .87	30.5 46.3	14.1 5.8	24.0* 21.5	25.1* 29.8*	91.8 2.1	1.0 1.3	37.7 .34	3.40	128.16	105.5					
Reg 137	870	3/ . /2	. 113 232	.85 .79	22.3 55.8	12.4 6.7	21.4 19.7	21.3 23.8	97.5 1.0	1.5 1.8	36.2 .32	2.94	126.37	104.0					
Reg 138	876	3/ . /2	. 118 236	.84 .75	32.6 45.9	15.0 5.8	23.1 18.2	24.4 26.7	96.2 1.8	1.0 2.4	37.4 .45	3.07	131.13	107.9					
Reg 139	989	3/ . /2	. 137 261	.89 .80	30.6 43.5	13.3 5.8	20.8 22.1	20.4 23.4	98.0 0.7	1.6 2.0	37.9 .38	3.60	129.67	106.7					

* after a value indicates reason this ram was not eligible for certification

R e Test g No.	Flock No.	Birth date	Birth type	Age of Dam	Start Wt. 9/25	Final Wt. 2/12	ADG lbs	Total Body Gr. lbs	Fleece Yield (%)	Clean Stap. Wt.	Fiber Diameter, microns Core	Fiber Diameter, microns			Scores			Scrot. circ.	Fat Depth in.	Ribeye Area sq.in.	ROM Index	Index Ratio			
												Side	Britch	(%)	Cover	Belly	Body								

Pen 13 Jones, Travis, FREDERICKSBURG																									
Sire:T.JONES 0-46																									
Reg 140	237	4/ 2/2	TW	6	111	243	.94	.86	30.2	48.5	14.6	6.1	22.2	20.8	23.4	26.4	96.6	1.1	1.0	2.1	34.8	.33	3.17	135.61	111.6
Sire:TAES 7311																									
Reg 141	186	2/23/2	TW	3	126	244	.84	.78	24.1	40.1	9.7	5.3	20.3	22.1	20.9	22.5	99.3	1.6	1.5	1.5	33.3	.41	3.10	114.28	94.1
Reg 142	200	2/27/2	S	2	126	265	.99	.90	34.0	49.8	17.0	6.9	23.0	20.8	24.3	25.3	96.9	1.1	1.0	2.1	37.5	.33	2.80	144.94	119.3
Reg 143	201	2/27/2	TW	2	116	260	1.03	.96	24.7	40.6	10.0	5.6	21.1	19.1	21.8	26.1	98.4	0.7	1.4	1.3	36.0	.33	3.44	128.61	105.8
Sire:WB 2365																									
Reg 144	220	3/ 6/2	TW	4	122	244	.87	.81	22.2	39.7	8.8*	4.5	23.2	17.4	24.3	27.6	96.9	1.0	1.0	1.3	35.5	.33	3.07	106.19	87.4
Reg 145	221	3/ 6/2	TW	4	116	246	.93	.87	21.0	51.1	10.7	5.1	23.4	19.3	24.5	27.5	95.3	2.0	1.3	1.7	31.5	.34	3.46	117.63	96.8
Reg 146	224	3/ 8/2	S	2	128	248	.86	.80	21.6	43.4	9.4	4.9	22.8	24.0	25.2*	25.2	95.8	2.0	1.0	1.5	40.7	.31	3.95	102.67	84.5
Reg 147	235	3/17/2	TR	4	98*	231	.95	.89	23.0	48.3	11.1	5.6	21.6	17.8	22.9	24.5	98.2	1.2	1.0	1.5	34.2	.28	2.89	128.35	105.6

Pen 35 Texas Ramb. Sup. Gen.(TRSG), SAN ANGELO																									
Sire:P ROSE R4733																									
Reg 148	26	3/10/2	S	9	136	299	1.16	1.08	28.9	37.2	10.8	5.7	21.5	18.0	21.8	25.9	99.2	1.0	2.8	1.1	36.6	.33	3.36	139.09	114.5
Sire:C&S MENZIES 1833																									
Reg 149	517	1/10/2	TW	2	142	263	.86	.78	29.5	41.7	12.3	5.8	22.2	18.9	24.0	26.3	97.3	0.7	1.2	1.3	38.7	.40	3.26	124.10	102.1
Sire:CAMPBELL 5379																									
Reg 150	567	3/10/2	S	3	149	290	1.01	.93	26.0	46.0	12.0	5.6	20.8	17.6	22.4	23.9	99.1	2.0	1.4	1.8	31.0	.45	3.16	137.18	112.9
Reg 152	583	3/20/2	TW	3	124	249	.89	.82	26.5	40.6	10.7	5.9	19.3	20.5	19.8	21.3	99.4	1.0	1.5	1.4	35.2	.46	2.87	124.93	102.8
Reg 153	586	3/20/2	TW	4	121	258	.98	.92	22.2	45.4	10.1	5.8	20.1	20.5	20.7	23.2	99.3	1.0	1.0	1.3	33.6	.27	3.20	127.44	104.9
Sire:CAMPBELL 5399																									
Reg 154	526	2/ 3/2	TW	3	148	288	1.00	.92	27.6	30.6	8.5*	4.9	21.2	19.8	22.1	26.7	97.7	2.3	1.7	1.5	40.4	.33	3.32	116.58	95.9
Reg 155	535	3/ 1/2	TW	4	132	262	.93	.86	23.8	42.1	10.0	4.8	24.5*	23.2	27.0*	28.3*	91.1	1.0	1.0	1.4	36.0	.29	3.40	104.76	86.2
Reg 156	540	3/ 1/2	S	3	134	274	1.00	.91	31.0	40.5	12.5	5.6	22.6	23.8	24.3	26.0	96.0	2.1	1.3	1.3	35.9	.28	3.61	125.66	103.4
Sire:HCR 622																									
Reg 159	669	1/15/2	S	6	146	288	1.01	.94	27.5	38.2	10.5	4.8	22.5	18.8	24.4	27.1	97.5	0.7	1.5	1.7	36.9	.56	3.54	122.80	101.1
Sire:P ROSE R4551																									
Reg 160	530	3/ 1/2	S	3	113	233	.86	.77	31.6	40.1	12.7	5.0	21.4	20.9	21.2	23.7	97.5	1.0	1.2	1.5	33.5	.31	3.16	122.66	100.9
Sire:P ROSE R4861																									
Reg 161	595	4/ 1/2	S	3	120	243	.88	.79	31.5	43.7	13.8	5.9	22.7	19.6	23.4	27.0	97.2	1.1	1.5	1.2	31.3	.29	3.32	128.19	105.5
Sire:P ROSE R4905																									
Reg 162	575	3/20/2	S	2	120	244	.89	.81	27.5	37.9	10.4	5.6	21.7	20.6	23.2	26.8	98.6	1.1	1.0	1.6	37.0	.37	3.21	117.60	96.8
Sire:TAES 6808																									
Reg 163	7608	2/ . /2	S	3	134	287	1.09	1.00	32.0	39.4	12.6	5.7	20.0	21.3	21.4	22.8	99.5	0.9	1.0	1.8	34.2	.27	3.67	142.14	117.0
Sire:TAES B2888																									
Reg 164	512	1/ 1/2	S	2	154	264	.79	.71	26.0	47.5	12.3	6.0	20.3	17.9	21.9	22.6	99.4	1.7	1.9	1.4	33.6	.55	3.15	126.99	104.5
Sire:TAES B3167																									
Reg 167	613	4/30/2	S	3	95*	209	.81	.75	22.6	45.8	10.3	5.9	20.5	18.1	20.7	23.6	99.1	1.0	1.3	1.6	34.9	.23	3.58	120.34	99.0
Sire:TAES 6987																									
Reg 168	3429	2/ . /2	TW	.	137	263	.90	.82	29.0	53.4	15.5	5.8	21.3	20.9	21.2	24.0	98.2	1.2	2.3	1.4	33.0	.26	3.36	139.39	114.7
Sire:TAES 7003																									
Reg 169	761	2/15/2	TW	.	135	264	.92	.85	26.0	39.3	10.2	5.1	22.0	23.5	22.7	25.5	97.7	1.8	1.8	1.3	34.5	.33	3.43	112.76	92.8

* after a value indicates reason this ram was not eligible for certification

R e g No.	Flock No.	Birth date	Birth type	Age of Dam	Start Wt. 9/25	Final Wt. 2/12	ADG lbs	Total Body Wt. lbs	Fleece Gr. Yield (%)	Clean Stap. Wt. len.	Fiber Diameter, microns Core AFD	Scores Side Britch (%)	Comfort Face Cover	Belly Wool	Body Folds	Scrot. circ. cm.	Fat Depth in.	Ribeye Area sq.in.	ROM Index	Index Ratio						

Pen 32 Powell, James L., FT. MCKAVETT																										
Sire:X																										
Com 170	351	2/	. / 2	TW	.	137	252	.82	.76	21.5	48.6	10.4	5.3	22.7	17.6	23.7	25.4	98.3	1.0	2.2	1.2	36.1	.34	3.33	114.45	94.2
Com 171	352	2/	. / 2	TW	.	146	263	.84	.78	21.5	48.1	10.3	5.4	21.7	19.0	22.1	23.6	98.6	1.0	1.5	1.1	39.9	.38	3.40	116.78	96.1
Com 172	353	2/	. / 2	TW	.	137	251	.81	.75	24.1	42.2	10.2	5.3	22.6	21.8	23.2	25.7	96.1	1.0	1.0	1.2	37.0	.29	3.44	108.07	88.9
Com 173	354	2/	. / 2	TW	.	129	245	.83	.76	26.1	43.9	11.5	5.3	22.2	17.9	22.7	25.3	97.8	1.0	1.7	1.2	38.3	.32	3.56	119.48	98.3
Com 174	355	2/	. / 2	S	.	151	250	.71	.63	27.8	33.0	9.2	4.9	22.6	20.7	22.6	27.5	96.1	1.0	1.8	1.6	33.2	.36	3.82	96.70	79.6
Com 175	356	2/	. / 2	S	.	136	257	.86	.79	27.2	36.3	9.8	4.7	22.5	19.3	23.7	25.7	96.8	1.0	1.0	1.8	37.1	.37	3.23	110.22	90.7
Com 176	357	2/	. / 2	S	.	144	253	.78	.71	24.0	38.1	9.2	5.1	19.8	19.2	19.9	24.1	99.5	1.0	1.7	1.2	36.1	.50	3.41	112.07	92.2
Com 177	358	2/	. / 2	S	.	152	256	.74	.67	25.0	41.8	10.4	5.1	23.6	21.9	25.6*	29.1*	92.1	1.0	1.2	1.2	38.0	.35	3.10	100.58	82.8
Com 178	359	2/	. / 2	S	.	132	240	.77	.70	24.1	40.6	9.8	5.5	22.2	21.6	23.5	26.2	97.1	0.9	1.0	1.2	33.3	.36	3.00	105.88	87.1
Com 180	361	2/	. / 2	S	.	127	206	.56	.51	21.2	45.1	9.5	5.2	23.2	17.2	24.5	28.0*	96.3	1.0	1.3	1.1	34.4	.46	3.34	93.67	77.1
Com 181	362	2/	. / 2	S	.	141	231	.64	.56	28.0	35.2	9.8	4.6	23.1	20.8	23.7	27.1	93.2	0.9	1.0	1.4	36.7	.32	3.18	92.62	76.2
Com 182	363	2/	. / 2	S	.	132	228	.69	.62	22.9	45.6	10.4	5.5	23.6	22.0	25.7*	29.0*	95.9	1.0	1.0	1.2	35.9	.43	3.76	98.87	81.4
Com 183	364	2/	. / 2	S	.	134	240	.76	.69	24.5	46.5	11.4	5.3	23.1	18.3	23.2	26.0	97.2	0.9	1.0	1.3	35.2	.31	3.04	112.43	92.5
Com 184	365	2/	. / 2	S	.	138	235	.69	.64	19.8	42.9	8.5*	5.1	23.6	17.7	25.3*	30.7*	95.3	1.0	1.7	1.1	39.0	.35	2.89	95.77	78.8
Com 185	366	2/	. / 2	S	.	131	246	.82	.75	26.8	39.0	10.4	5.5	23.4	17.9	25.2*	25.2	96.0	1.0	1.0	1.2	38.0	.40	2.86	112.12	92.3
Com 186	367	2/	. / 2	S	.	147	238	.65	.58	26.4	39.8	10.5	5.8	22.2	18.6	24.4	26.7	97.3	1.0	1.0	1.2	37.1	.40	3.21	104.95	86.4
Com 187	368	2/	. / 2	S	.	148	273	.89	.80	31.7	37.5	11.9	6.0	20.9	20.7	22.7	24.4	98.6	1.0	1.2	1.3	37.9	.37	3.26	125.27	103.1
Com 188	369	2/	. / 2	S	.	134	243	.78	.72	22.5	41.9	9.4	5.1	21.2	16.3	21.7	25.0	99.0	0.8	2.0	1.4	38.3	.39	3.40	111.19	91.5
Com 189	370	2/	. / 2	S	.	115	206	.65	.58	26.3	40.9	10.8	4.7	22.9	20.3	23.9	26.6	95.3	1.0	1.0	1.2	35.0	.37	2.90	98.79	81.3
Com 190	371	2/	. / 2	S	.	134	223	.64	.56	26.6	39.3	10.4	5.1	22.4	20.0	23.7	26.8	97.3	1.0	1.5	1.1	34.9	.39	3.44	99.59	82.0
Com 191	372	2/	. / 2	S	.	129	223	.67	.61	21.8	48.9	10.6	5.2	21.1	17.8	22.0	23.3	99.1	1.3	1.5	1.1	38.3	.30	3.21	110.55	91.0
Com 192	373	2/	. / 2	S	.	167	265	.70	.63	24.7	45.3	11.2	5.6	23.8	21.8	24.6	28.6*	93.3	0.7	1.0	1.2	37.3	.33	3.14	102.34	84.2
Com 193	374	2/	. / 2	S	.	124	248	.89	.80	29.1	42.7	12.5	5.7	24.5*	20.5	26.4*	31.1*	90.4	1.0	1.0	1.4	35.1	.42	3.14	117.29	96.5
Com 194	375	2/	. / 2	S	.	139	218	.56	.50	22.5	40.4	9.1	4.8	21.9	19.3	23.5	26.9	97.9	0.8	1.1	1.1	32.2	.41	3.33	91.99	75.7
Com 195	376	2/	. / 2	S	.	131	226	.68	.61	24.0	37.1	8.9*	4.6	22.4	17.3	23.5	26.6	98.0	0.7	1.0	1.3	33.8	.27	3.71	97.31	80.1
Com 196	377	2/	. / 2	S	.	139	250	.79	.72	25.9	35.1	9.1	4.6	22.5	19.7	23.7	26.4	96.4	1.0	1.0	1.6	38.1	.46	2.92	102.14	84.1
Com 197	378	2/	. / 2	S	.	134	266	.94	.87	26.1	36.6	9.6	4.5	21.9	18.8	23.3	26.3	97.1	1.0	1.0	1.5	38.9	.28	3.73	115.51	95.1
Com 198	379	2/	. / 2	S	.	142	225	.59	.53	23.2	52.2	12.1	5.8	21.2	19.5	21.9	23.7	98.4	1.1	1.0	1.2	35.2	.30	3.32	110.36	90.8
Com 199	380	2/	. / 2	S	.	131	243	.80	.74	23.0	45.9	10.5	5.2	23.2	17.8	24.1	27.3	96.2	1.0	1.2	1.3	38.0	.44	3.15	111.47	91.7
Com 200	381	2/	. / 2	S	.	136	237	.72	.66	21.4	38.9	8.3*	4.8	20.8	17.5	22.2	24.2	99.1	1.0	1.5	1.1	36.3	.36	3.41	103.44	85.1
Com 201	382	2/	. / 2	S	.	158	268	.79	.71	27.5	46.1	12.7	5.9	21.7	17.8	22.9	28.2*	98.4	0.8	1.0	1.1	37.2	.44	3.28	123.78	101.9
Com 203	384	2/	. / 2	S	.	136	231	.68	.60	27.8	42.7	11.8	5.7	22.9	19.5	24.7	26.5	96.0	1.0	1.0	1.6	34.2	.46	4.00	108.63	89.4
Com 204	385	2/	. / 2	S	.	148	235	.62	.55	25.3	48.2	12.2	4.8	24.0*	19.9	24.6	27.6	91.5	1.0	1.0	1.8	34.0	.38	2.92	100.19	82.5
Com 205	386	2/	. / 2	S	.	136	261	.89	.83	23.8	48.1	11.4	5.2	21.3	18.7	22.3	24.7	98.8	1.0	2.3	1.3	33.5	.43	3.64	125.28	103.1
Com 206	387	2/	. / 2	S	.	130	216	.61	.56	18.2	43.5	7.9*	4.8	19.9	19.3	19.7	22.7	99.5	1.0	2.3	1.3	35.3	.34	3.47	97.03	79.9

P before the test number designates a Polled ram

* after a value indicates reason this ram was not eligible for certification