

R e g No.	Flock No.	Birth date	Birth type	Age of Dam	Start 9/29	Final 2/16	ADG		Fleece			Fiber Diameter, microns				Scores			Scrot. circ.	Fat Depth	Ribeye Area	ROM	Index Ratio			
							Total lbs	Body lbs	Gr. Yield (%)	Wt. len.	Clean Stap.	Core	Comfort	Face Cover	Belly Wool	Body Folds										

Pen 7 Schunke Ranch, GOLDTHWAITE																										
Sire:B FARIS 388																										
Reg	18	2013					1.03	.96	25.7	42.6	11.0	5.8	24.8*	20.8	26.1*	29.6*	88.3	0.8	1.2	1.2	42.0	.37	3.28	119.22	108.7	
Reg	19	2020	11/ 4/3	S	5	166	308	1.01	.94	26.9	41.5	11.2	5.4	21.8	21.5	23.8	25.0	96.7	1.5	1.3	1.2	42.5	.37	3.87	126.29	115.2
Reg	20	2019	10/31/3	S	5	161	301	1.00	.91	30.8	46.0	14.2	6.0	22.5	18.5	24.4	26.3	96.9	0.9	1.7	1.1	45.5	.36	3.54	139.10	126.9
Sire:SCHUNKE 1544																										
Reg	21	2023	10/19/3	S	5	157	275	.84	.78	21.1	42.6	9.0*	5.2	22.4	23.1	23.6	26.4	97.4	1.2	1.5	1.0	40.0	.40	3.35	103.84	94.7
Sire:SCHUNKE 1878																										
Reg	22	2076	3/10/4	S	5	126	244	.84	.78	23.6	49.1	11.6	5.5	21.9	23.3	23.1	26.4	98.4	1.1	1.4	1.2	39.0	.30	3.99	116.45	101.2
Reg	23	2077	3/12/4	S	4	119	229	.79	.72	22.0	44.3	9.8	5.2	21.8	19.4	22.6	26.8	97.9	1.4	1.1	1.8	41.0	.38	2.78	109.78	95.4

Pen 8 Landers Ranch, MENARD																										
Sire:TAES B3403																										
Reg	24	837	2/ .4	TW	7	134	253	.85	.79	19.9	48.0	9.6	5.5	21.9	19.0	22.6	24.3	97.9	1.1	1.6	1.0	40.5	.28	3.83	114.69	99.7
Reg	25	841	2/ .4	S	2	119	262	1.02	.95	24.5	43.6	10.7	5.4	20.8	17.1	21.0	23.6	99.3	1.2	1.4	1.4	38.5	.25	3.07	132.63	115.2
Reg	26	874	2/ .4	S	6	123	252	.92	.85	26.6	46.6	12.4	5.8	21.2	17.3	21.7	23.8	98.9	1.1	1.6	1.1	36.5	.31	3.06	132.54	115.2
Reg	27	875	2/ .4	S	7	118	253	.96	.89	26.2	43.1	11.3	6.0	19.5	19.7	20.8	22.0	99.4	1.1	2.5	1.4	38.5	.31	3.12	132.49	115.1

Pen 9 H & C Livestock, SAN ANGELO																										
Sire:TAES 7171																										
Reg	28	303	10/11/3	TW	2	158	277	.85	.79	22.9	43.8	10.0	5.4	23.3	17.7	24.7	29.2*	95.8	0.8	1.2	1.7	41.0	.34	3.74	112.73	102.8
Reg	29	304	12/30/3	TW	4	119*	241	.87	.81	21.9	47.0	10.3	5.6	21.5	16.9	20.8	22.2	98.8	1.1	1.1	1.8	37.0	.26	3.18	120.95	110.3
Reg	31	306	1/20/4	S	2	131	236	.75	.67	28.3	45.8	12.9	5.7	20.3	17.9	21.1	23.1	99.1	1.4	1.3	1.6	38.0	.26	3.64	126.75	110.1

Pen 10 Hill Country Rambouillet, SONORA																										
Sire:HCR 711																										
Reg	32	729	3/12/4	TW	5	116	236	.86	.80	20.2	39.3	8.0*	5.1	21.9	19.9	22.0	24.1	97.9	0.8	2.1	1.3	38.0	.26	2.76	105.95	92.1
Reg	33	730	3/29/4	S	8	112	231	.85	.78	23.8	41.4	9.8	4.6	21.2	20.1	22.0	24.9	98.1	1.1	1.7	1.9	40.0	.25	3.31	112.26	97.5
Reg	34	738	4/14/4	TW	4	93*	209	.83	.78	18.0	41.0	7.4*	4.6	20.3	21.1	22.0	24.0	98.8	0.6	1.5	1.4	36.5	.25	2.58	103.47	89.9
Reg	35	740	4/28/4	TW	3	80*	188*	.77	.71	21.8	44.9	9.8	5.3	22.2	24.3	21.8	25.3	95.9	0.9	1.8	1.7	37.0	.21	2.74	102.30	88.9
Reg	36	742	5/ 1/4	S	2	101	230	.92	.87	17.8	42.1	7.5*	4.6	20.3	20.1	20.7	22.4	98.9	0.9	1.8	1.6	35.5	.41	2.85	110.71	96.2
Reg	37	743	5/ 7/4	TW	4	81*	200	.85	.80	18.5	36.7	6.8*	4.6	21.5	26.5	22.0	24.6	95.5	0.9	1.3	1.9	33.5	.22	3.13	92.53	80.4

Pen 11 Angelo State Univ., SAN ANGELO																										
Sire:BRADFORD 0242																										
Reg	38	8000	2/20/4	TW	3	154	286	.94	.87	24.8	44.3	11.0	5.6	22.7	19.9	23.3	26.8	96.0	1.1	1.1	1.3	39.5	.42	3.53	121.50	105.6
Reg	39	8001	2/25/4	S	5	134	215	.58	.53	18.9	43.7	8.3*	5.0	22.0	19.0	22.4	24.3	98.6	0.6	1.0	1.1	37.2	.37	2.90	91.08	79.1
Reg	40	8002	2/25/4	S	2	163	273	.79	.72	23.2	47.8	11.1	5.3	23.0	18.8	23.2	25.2	97.4	1.0	1.1	1.2	38.5	.46	3.83	112.30	97.6

P before the test number designates a Polled ram
 * after a value indicates reason this ram was not eligible for certification

e g No.	Test Flock No.	Birth date	Birth of type	Age Start Dam	Final Wt. 9/29	Final Wt. 2/16	ADG		Fleece			Fiber Diameter, microns		Scores			Scrot. Fat		Ribeye						
							Total lbs	Body lbs	Gr. Yield (%)	Clean Stap. Wt. len.	AFD	CV	Side	Britch (%)	Comfort Face	Belly	Body	circ. cm.	Depth in.	Area sq.in.	ROM Index	Ratio			
Pen 12 Texas Sheep Co., T.Jones, FREDERICKSBURG																									
Sire:T.JONES 1-83																									
Reg 41	240	2/ 9/4	S	2	93*	217	.89	.82	22.8	52.4	12.0	6.0	21.6	18.8	22.5	23.6	97.6	1.1	1.7	1.5	39.0	.39	2.64	127.21	110.5
Reg 42	263	2/25/4	TW	4	94*	217	.88	.83	19.0	47.6	9.0	5.1	20.0	20.2	21.2	24.3	99.2	1.1	1.5	2.5	37.0	.38	2.59	116.96	101.6
Reg 43	264	2/26/4	TW	2	119	247	.91	.86	20.4	46.1	9.4	5.4	20.2	18.3	21.3	24.3	99.4	1.1	1.1	1.5	38.0	.23	3.20	123.40	107.2
Reg 44	308	3/15/4	S	2	94*	219	.89	.83	20.9	47.6	9.9	5.7	19.4	20.4	20.2	21.8	99.4	1.1	1.4	1.7	36.5	.32	3.66	122.80	106.7
Sire:T.JONES 235																									
Reg 45	283	3/ 5/4	S	4	127	254	.91	.85	20.4	53.4	10.9	6.1	21.1	17.3	21.1	22.8	99.0	0.6	1.2	1.1	35.5	.29	3.46	126.95	110.3
Reg 46	328	3/ 7/4	TW	2	97*	186*	.64	.59	15.2	58.8	8.9*	5.8	21.3	17.4	20.6	23.8	99.1	0.7	2.2	1.1	32.5	.43	2.78	103.33	89.8
Sire:TAES 7608																									
Reg 47	257	2/24/4	S	2	130	248	.84	.78	24.3	45.6	11.1	5.2	21.4	18.5	22.1	24.6	98.2	1.1	1.3	1.5	37.0	.38	3.88	120.38	104.6
Reg 48	277	3/ 4/4	TW	4	111	224	.81	.76	17.8	50.6	9.0	5.8	21.5	17.0	21.0	22.7	99.3	1.1	1.2	1.7	39.5	.37	3.05	112.64	97.9
Pen 14 Steen, James, Alpine																									
Sire:03																									
RegP 49	244	2/28/4	S	.	142	265	.88	.82	21.2	44.8	9.5	4.0*	24.6*	20.8	25.6*	29.0*	90.3	1.0	1.6	2.5	36.5	.32	3.99	99.34	86.3
RegP 50	245	3/19/4	TW	.	138	260	.87	.83	15.9	44.1	7.0*	3.3*	24.3*	18.2	24.5	27.7	93.1	1.1	2.6	1.5	38.5	.33	3.47	91.81	79.8
Sire:2216																									
Reg 51	241	3/ 5/4	TW	.	151	300	1.06	1.01	20.3	43.8	8.9*	4.6	23.8*	20.6	24.1	26.7	94.9	0.9	3.3	1.2	41.5	.39	3.65	113.20	98.4
Reg 52	242	4/ 1/4	TW	.	152	260	.77	.72	19.4	49.3	9.6	4.3	24.2*	18.0	25.1*	28.7*	93.4	2.0	1.8	1.5	41.0	.23	4.29	99.70	86.6
Reg 53	243	3/14/4	TW	.	146	282	.97	.92	18.6	45.6	8.5*	5.0	23.3	20.7	24.4	28.4*	95.3	1.1	1.5	1.1	44.0	.38	3.79	109.58	95.2
Pen 15 Bradford, Maurice, San Angelo																									
Sire:BRADFORD 0009																									
Reg 54	10	11/ ./3	TW	5	205	300	.68	.63	17.6	47.5	8.4*	4.9	22.5	18.5	22.4	26.2	96.6	1.0	2.2	1.3	39.0	.53	4.65	96.36	87.9
Reg 55	11	11/ ./3	TW	5	201	312	.79	.73	22.9	43.3	9.9	5.3	23.2	19.9	23.4	26.7	95.8	1.0	1.3	1.4	40.5	.42	4.53	106.34	97.0
Reg 56	13	11/ ./3	TW	5	187	256	.49*	.45	16.6	45.7	7.6*	4.6	26.5*	20.2	27.4*	33.9*	81.1	0.7	1.6	1.0	36.0	.44	3.93	71.64	65.3
Reg 57	17	11/ ./3	S	4	218	322	.74	.68	23.2	43.0	10.0	5.0	23.4	18.4	26.2*	29.1*	95.5	1.1	1.4	1.1	44.0	.57	5.11	103.57	94.5
Sire:S 184																									
Reg 58	18	11/ ./3	TW	2	194	300	.76	.69	22.8	39.6	9.0	5.4	22.5	20.3	21.6	24.7	96.4	1.1	2.4	1.3	41.5	.34	4.63	102.53	93.5
Reg 59	21	11/ ./3	TW	2	207	292	.61	.56	18.7	43.5	8.1*	4.4	20.3	19.3	20.3	24.5	98.5	0.9	3.3	1.0	37.5	.38	4.59	94.52	86.2
Reg 60	24	12/ ./3	TW	2	188	255	.48*	.42	21.3	47.0	10.0	4.0	23.1	23.4	23.4	24.8	96.1	0.9	3.1	1.1	38.5	.35	4.21	79.13	72.2

P before the test number designates a Polled ram
 * after a value indicates reason this ram was not eligible for certification

R e g No.	Flock No.	Birth date	Birth type	Age Dam	Start 9/29	Final 2/16	ADG		Fleece				Fiber Diameter, microns		Scores			Scrot. Fat Ribeye								
							Total lbs	Body lbs	Gr. Wt.	Yield (%)	Clean Wt.	Stap. len.	Core AFD	Core CV	Side	Britch	Comfort (%)	Face Cover	Belly Wool	Body Folds	circ. cm.	Depth in.	Area sq.in.	ROM Index	Index Ratio	
Pen 37 TAES, Sonora, SONORA																										
Sire:TAES 6987																										
Reg	61	7945	2/ .4	TW	3	121	227	.76	.70	19.2	45.9	8.8*	4.7	21.1	20.0	22.1	22.8	98.3	1.2	1.2	1.5	38.0	.26	2.73	104.14	90.5
Reg	62	7947	2/ .4	TW	3	124	240	.83	.78	16.8	48.7	8.2*	5.1	22.1	23.0	23.0	23.8	97.8	0.9	1.2	1.5	37.0	.33	3.36	101.11	87.9
Reg	63	7960	2/ .4	S	5	120	238	.84	.78	22.2	45.3	10.1	4.7	20.6	19.0	21.6	24.1	98.8	1.1	1.2	2.4	38.0	.38	2.96	116.77	101.5
Reg	64	7986	2/ .4	TW	3	114	226	.80	.74	20.9	46.2	9.7	5.2	20.6	20.2	22.1	23.0	99.1	1.0	1.2	1.5	41.5	.30	3.26	113.06	98.2
Reg	65	7988	2/ .4	TW	3	128	233	.75	.70	18.4	51.6	9.5	5.2	19.9	17.6	20.4	21.6	99.4	1.2	1.5	1.3	33.5	.34	3.57	114.50	99.5
Sire:TAES 7363																										
Reg	66	7884	2/ .4	TW	4	137	230	.66	.59	26.2	51.7	13.5	5.9	22.8	19.1	23.0	26.0	97.1	0.7	1.3	1.3	37.5	.28	2.80	115.44	100.3
Reg	67	7894	2/ .4	TW	6	124	212	.63	.57	21.6	54.6	11.8	5.8	21.4	19.8	21.2	22.5	97.4	0.7	1.2	1.5	38.0	.35	3.15	110.39	95.9
Reg	68	7896	2/ .4	S	4	172	287	.82	.75	26.2	50.3	13.2	5.7	21.2	20.2	21.1	23.2	98.9	1.1	1.4	1.3	36.0	.38	3.65	126.90	110.3
Reg	69	7899	2/ .4	TW	5	139	231	.66	.60	21.5	51.4	11.1	5.6	22.5	18.9	22.5	24.4	98.1	0.7	1.3	1.3	35.0	.31	3.18	107.09	93.0
Reg	70	7996	2/ .4	TW	6	107	208	.72	.66	22.3	50.7	11.3	5.5	21.7	18.2	22.2	23.4	98.9	1.1	1.3	1.9	33.0	.29	3.35	115.06	100.0
Sire:TAES 7610																										
Reg	71	7920	2/ .4	S	5	148	277	.92	.84	30.4	44.3	13.5	5.1	21.9	17.1	22.8	24.3	98.5	1.1	1.1	1.5	43.0	.32	3.69	132.40	115.0
Sire:TAES B3167																										
Reg	72	7852	2/ .4	TW	5	130	248	.84	.77	26.8	45.9	12.3	6.0	20.0	21.6	21.1	22.6	99.0	2.0	1.4	1.7	34.5	.34	3.62	126.45	109.9
Reg	74	7860	2/ .4	S	3	138	260	.87	.80	26.1	41.7	10.9	5.0	21.1	20.5	21.1	22.2	98.8	0.8	1.6	1.5	35.5	.42	3.52	118.90	103.3
Reg	75	7863	2/ .4	TW	3	130	257	.91	.83	26.3	43.9	11.5	5.5	19.5	17.7	20.4	22.2	99.6	1.0	1.2	1.3	39.0	.33	3.38	132.17	114.8
Reg	76	7868	2/ .4	TW	4	118	233	.82	.75	24.7	45.4	11.2	5.7	22.2	19.9	22.6	25.5	97.2	0.7	1.1	1.7	37.5	.29	4.03	116.73	101.4
Reg	77	7869	2/ .4	TW	4	129	259	.93	.86	25.7	45.6	11.7	6.0	21.8	19.3	22.6	25.2	98.2	0.9	1.3	1.2	44.0	.30	3.21	127.08	110.4
Reg	78	7880	2/ .4	TW	4	134	269	.96	.88	29.1	50.4	14.7	6.0	20.5	19.7	21.3	23.1	99.3	0.9	1.4	1.7	42.0	.33	3.89	143.88	125.0
Reg	79	7882	2/ .4	TW	3	143	255	.80	.72	29.0	47.0	13.6	5.7	19.5	18.3	21.9	21.9	99.7	1.2	1.1	1.8	42.0	.31	3.74	133.31	115.8
Sire:TAES B3252																										
Reg	80	7928	2/ .4	S	5	159	261	.73	.67	20.8	44.9	9.4	5.6	19.3	20.4	19.3	23.0	99.3	0.9	1.4	1.1	38.5	.25	3.64	110.68	96.2
Pen 17 Menzies, C & S, SAN ANGELO																										
Sire:C&S MENZIES 2464																										
Reg	81	3005	11/ .3	S	4	194	265	.51*	.45	20.3	55.2	11.2	4.9	22.7	16.0	23.7	24.6	98.0	1.0	1.2	1.1	41.0	.37	3.47	97.20	88.7
Reg	82	3007	11/ .3	TW	4	161	266	.75	.68	25.1	47.4	11.9	5.0	20.6	17.7	22.1	22.0	99.3	0.9	1.1	1.3	42.0	.32	3.62	120.28	109.7
Reg	83	3013	11/ .3	S	4	161	319	1.13	1.04	30.8	48.3	14.9	5.8	22.1	20.0	22.7	25.0	96.9	1.0	1.6	1.4	47.5	.46	4.06	149.02	135.9
Reg	84	3017	11/ .3	TW	4	172	305	.95	.88	25.6	44.3	11.3	5.0	19.7	19.9	21.1	24.2	99.3	1.1	1.4	1.5	41.0	.37	4.02	129.72	118.3
Reg	85	3020	11/ .3	TW	3	137	240	.74	.67	25.1	45.3	11.4	5.1	21.8	17.3	23.1	24.4	98.5	1.7	1.8	1.3	40.0	.24	3.38	114.35	104.3
Sire:C&S MENZIES 2532																										
Reg	86	3109	3/ .4	TW	7	121	254	.95	.88	24.3	52.9	12.8	5.5	21.0	19.3	20.7	23.9	98.0	1.1	1.4	1.2	38.0	.35	3.59	135.34	117.6
Reg	87	3110	3/ .4	TW	.	115	251	.97	.91	21.6	44.7	9.7	5.3	22.2	23.0	22.3	25.5	96.2	0.9	2.0	1.4	38.0	.37	3.25	115.48	100.3
Reg	88	3112	3/ .4	S	6	121	266	1.04	.98	21.3	49.5	10.5	5.2	20.3	18.7	20.9	23.3	99.0	1.0	1.9	1.2	41.0	.52	3.09	133.60	116.1
Reg	89	3113	3/ .4	TW	8	127	274	1.05	.99	21.5	43.6	9.3	4.7	20.5	19.6	20.4	22.3	98.6	1.0	2.8	1.3	41.5	.33	3.50	125.59	109.1
Reg	90	3114	3/ .4	S	.	113	248	.96	.90	22.6	47.8	10.8	5.3	23.2	21.5	22.5	26.1	94.6	0.9	1.8	1.5	39.0	.37	3.49	118.24	102.7
Reg	91	3115	3/ .4	TW	7	123	252	.92	.86	23.2	48.2	11.2	5.2	22.7	24.1	22.4	26.1	94.6	0.8	1.6	1.7	39.0	.40	3.75	114.82	99.8
Reg	92	3116	3/ .4	S	9	129	267	.99	.92	25.3	47.3	12.0	5.9	22.0	18.2	23.1	26.2	98.1	1.2	2.0	1.2	38.5	.43	3.18	132.15	114.8
Reg	93	3117	3/ .4	TW	7	105	240	.96	.90	24.1	50.5	12.1	5.4	23.3	22.3	22.9	26.4	94.4	1.0	1.3	1.3	37.5	.40	3.96	122.26	106.2
Sire:HCR 634																										
Reg	94	3040	11/ .3	S	2	152	261	.78	.72	19.7	52.6	10.4	5.5	21.9	16.7	23.4	25.6	98.6	0.9	1.3	1.1	40.5	.37	4.13	114.71	104.6
Reg	95	3047	11/ .3	TW	2	151	246	.68	.62	21.7	49.6	10.8	5.1	22.7	20.1	23.5	25.0	94.4	1.0	1.3	1.1	39.0	.29	3.76	103.56	94.5
Reg	96	3063	12/ .3	S	4	153	269	.83	.78	18.0	48.2	8.7*	4.8	22.5	24.2	23.3	25.6	97.1	1.0	2.3	1.2	36.5	.39	3.63	99.26	90.5

P before the test number designates a Polled ram
 * after a value indicates reason this ram was not eligible for certification

R e Test g No.	Flock No.	Birth date	Birth type	Age Dam	Start 9/29	Final 2/16	ADG		Fleece			Fiber Diameter, microns				Scores			Scrot. cm.	Fat in.	Ribeye sq.in.	ROM Index	Ribe yeye Ratio			
							Total lbs	Body lbs	Gr. Wt.	Yield (%)	Clean Wt.	Stap. len.	Core AFD	CV	Side	Britch (%)	Comfort Cover	Face Wool						Belly Folds	Body	

Pen 36 Texas Ramb. Sup. Gen.(TRSG), SAN ANGELO																										
Sire:C&S MENZIES 2626																										
Reg	97	906	2/10/4	TW	4	143	266	.88	.81	26.4	51.3	13.5	5.5	22.0	17.1	23.2	24.6	99.0	1.1	1.5	1.2	40.0	.42	3.21	132.00	114.7
Reg	99	947	3/ 1/4	TW	2	131	251	.86	.79	24.4	48.5	11.8	6.1	22.5	16.5	23.5	24.3	98.5	0.8	1.3	1.1	38.0	.31	3.52	122.81	106.7
Sire:HCR 622																										
Reg	100	1007	3/25/4	S	6	125	273	1.06	1.00	21.7	43.4	9.4	5.0	21.7	17.1	22.3	25.4	98.7	0.8	1.3	1.9	37.5	.52	3.96	126.21	109.7
Reg	101	1011	3/25/4	TW	5	140	259	.85	.77	29.7	45.6	13.6	5.6	23.6	20.5	24.2	26.5	94.2	1.0	1.8	1.4	39.5	.28	4.30	122.10	106.1
Reg	102	1012	3/25/4	TW	5	140	287	1.05	.98	25.7	46.3	11.9	6.2	20.5	18.2	22.4	24.4	99.2	1.0	2.1	1.1	38.5	.38	3.84	140.12	121.7
Reg	103	942	3/ 1/4	TW	3	138	283	1.04	.98	21.4	44.6	9.6	5.7	21.8	18.6	23.3	25.6	98.4	1.0	2.1	1.4	38.5	.44	3.44	126.46	109.9
Reg	104	950	3/ 1/4	TW	2	118	218	.71	.65	23.1	49.3	11.4	5.0	21.1	19.2	20.7	23.5	98.1	1.0	1.3	2.3	38.0	.33	3.53	113.42	98.6
Reg	105	954	3/ 1/4	S	6	146	272	.90	.85	17.8	48.9	8.7*	4.6	22.5	18.4	24.5	26.5	97.9	1.0	1.4	1.4	40.0	.42	4.10	109.87	95.5
Reg	106	955	3/ 1/4	TW	5	119	235	.83	.77	22.1	46.4	10.3	5.3	23.1	18.7	24.4	26.1	96.8	1.0	2.2	1.2	38.0	.34	4.13	111.88	97.2
Reg	107	987	3/ 8/4	TW	3	123	235	.80	.75	19.3	48.2	9.3	5.4	22.9	18.1	25.3*	26.7	96.4	0.8	1.3	1.2	35.5	.33	3.56	108.42	94.2
Sire:TAES 7610																										
Reg	108	881	10/23/3	TW	2	208	323	.82	.75	24.5	52.7	12.9	5.5	22.5	16.2	24.2	26.2	98.8	1.0	1.5	1.3	41.0	.54	4.52	124.98	114.0
Sire:TRSG 298																										
Reg	109	1020	3/25/4	S	3	124	233	.78	.71	24.9	55.5	13.8	5.0	21.8	22.5	23.1	25.8	97.4	1.0	1.6	1.3	39.5	.34	3.49	120.64	104.8
Reg	110	1030	4/ 7/4	S	6	137	242	.75	.69	22.5	49.9	11.2	5.4	23.2	19.4	24.3	27.2	96.7	1.0	1.3	1.4	34.5	.35	3.57	110.31	95.8
Reg	111	1040	4/ 7/4	S	3	119	250	.94	.88	21.4	49.9	10.7	5.2	21.3	17.2	21.3	22.7	98.7	1.0	1.4	1.1	37.0	.31	3.74	125.89	109.4
Reg	112	1065	4/21/4	TW	3	117	228	.79	.73	21.2	48.9	10.4	4.9	21.1	20.6	21.5	22.6	98.7	1.4	1.6	1.3	39.0	.31	3.90	112.54	97.8
Reg	113	1067	4/21/4	S	5	127	250	.88	.82	20.3	51.4	10.4	5.3	21.4	16.6	22.5	24.4	99.3	1.4	1.1	1.2	33.0	.44	3.56	121.70	105.7
Sire:TRSG 310																										
Reg	114	937	3/ 1/4	S	3	122	242	.86	.79	23.8	50.6	12.0	5.8	23.8*	24.1	24.0	25.9	90.3	1.1	1.3	1.4	45.0	.41	3.33	112.26	97.5
Reg	115	946	3/ 1/4	S	3	142	285	1.02	.94	27.9	45.5	12.7	4.8	21.8	17.3	22.4	24.7	98.4	1.0	2.2	1.5	38.5	.35	3.50	134.99	117.3
Reg	116	976	3/ 1/4	TW	3	148	270	.87	.80	25.2	44.0	11.1	5.5	22.5	20.3	23.8	27.6	98.1	0.6	1.4	1.4	41.0	.38	4.23	117.87	102.4
Reg	117	991	3/ 8/4	S	4	130	255	.89	.79	35.8	45.0	16.1	5.3	22.1	17.5	22.1	24.4	98.3	1.0	1.3	2.9	37.0	.30	3.41	140.43	122.0
Sire:TRSG 547																										
Reg	118	951	3/ 1/4	S	5	132	256	.89	.82	22.2	49.4	11.0	5.8	23.0	20.9	24.7	26.6	95.5	1.3	1.4	1.4	37.0	.31	3.40	116.60	101.3
Reg	119	953	3/ 1/4	S	5	132	274	1.01	.95	24.9	46.8	11.7	4.8	22.4	21.0	23.9	26.4	96.2	1.0	1.4	1.4	42.5	.42	4.06	125.48	109.0

P before the test number designates a Polled ram

* after a value indicates reason this ram was not eligible for certification

R e g No.	Flock No.	Birth date	Birth type	Age Dam	Start 9/29	Final 2/16	ADG		Fleece			Fiber Diameter, microns		Scores			Scrot. cm.	Fat in.	Ribeye sq.in.	ROM Index	Ribe Area	Fat Depth	Index Ratio		
							Total lbs	Body lbs	Gr. Wt.	Yield (%)	Clean Wt.	Stap. len.	Core AFD	Core CV	Side %	Britch (%)								Face Cover	Belly Wool

Pen 34 Our Father's Place, Moore, FT. STOCKTON																									
Sire:OFP																									
Com 120	4024	3/	./4	.	110	233	.88	.80	29.1	50.4	14.7	6.0	20.2	18.0	20.4	22.6	99.2	1.0	1.7	1.7	39.5	.27	3.38	141.75	123.2
Com 121	4025	3/	./4	.	116	246	.93	.84	31.7	52.2	16.6	5.4	23.0	20.2	23.6	25.0	94.8	2.6	1.1	2.3	41.0	.28	3.65	140.04	121.7
Com 122	4027	3/	./4	.	124	270	1.04	.94	36.2	52.2	18.9	6.1	23.6	22.5	23.4	24.7	93.1	2.4	1.1	2.0	45.0	.39	3.29	151.37	131.5
Com 123	4028	3/	./4	.	107	188*	.58	.53	18.2	53.6	9.8	5.7	18.7	18.5	19.4	20.9	99.6	1.3	1.3	1.3	37.0	.25	2.44	106.07	92.2
Com 124	4029	3/	./4	.	120	248	.91	.83	30.3	49.5	15.0	6.1	21.1	19.1	21.8	22.5	98.2	1.1	1.4	1.8	41.5	.33	3.24	140.87	122.4
Com 125	4031	3/	./4	.	117	232	.82	.74	28.1	55.2	15.5	5.9	21.0	16.0	21.6	24.6	99.4	1.0	1.6	1.7	40.0	.35	3.51	139.45	121.2
Com 126	4040	3/	./4	.	120	212	.66	.59	22.5	48.8	11.0	6.1	21.7	18.9	22.1	24.6	98.4	0.7	1.4	1.1	35.5	.27	3.24	109.29	95.0
Com 127	4041	3/	./4	.	130	222	.66	.60	21.0	47.0	9.9	5.0	19.9	18.1	20.0	21.5	99.5	1.0	1.2	1.7	40.0	.31	3.46	109.32	95.0
Com 128	4043	3/	./4	.	123	234	.79	.72	27.0	49.2	13.3	6.0	19.0	17.4	19.5	20.6	99.8	1.4	1.7	1.3	35.5	.31	4.07	132.21	114.9
Com 129	4046	3/	./4	.	122	234	.80	.73	24.9	46.8	11.7	5.5	20.8	23.0	20.5	23.3	97.7	1.0	1.7	1.1	37.9	.34	3.34	117.55	102.1
Com 130	4047	3/	./4	.	125	232	.76	.69	27.9	50.2	14.0	6.0	20.0	17.0	20.1	23.9	99.2	1.0	1.4	1.8	38.5	.38	3.60	132.85	115.4
Com 131	4048	3/	./4	.	106	205	.71	.63	26.3	47.6	12.5	4.8	20.1	20.1	21.0	22.7	98.9	2.0	1.4	2.3	39.0	.27	3.75	118.20	102.7
Com 132	4049	3/	./4	.	112	217	.75	.68	24.7	52.8	13.0	6.2	20.6	17.9	20.6	22.9	99.4	1.9	1.5	2.0	34.5	.32	3.13	127.04	110.4
Com 133	4050	3/	./4	.	137	260	.88	.80	29.5	47.7	14.1	5.5	20.2	16.7	20.5	21.2	99.6	1.1	2.2	1.6	41.0	.31	3.02	139.11	120.9
Com 134	4054	3/	./4	.	105	235	.93	.86	24.0	46.0	11.0	6.1	21.8	17.8	21.6	25.2	98.3	1.0	1.4	1.3	39.5	.30	4.20	126.18	109.6
Com 135	4056	3/	./4	.	118	213	.68	.60	27.4	48.5	13.3	5.4	22.1	18.6	21.6	23.2	97.6	1.1	1.2	1.7	38.5	.44	2.84	117.32	101.9
Com 136	4059	3/	./4	.	125	262	.98	.92	22.9	52.6	12.0	5.5	22.6	17.0	22.5	24.3	98.4	1.1	1.2	1.4	40.5	.46	3.24	131.09	113.9
Com 137	4060	3/	./4	.	124	234	.79	.72	25.0	48.8	12.2	6.0	20.8	17.8	22.3	24.5	99.5	1.1	1.1	1.4	38.0	.38	3.12	125.12	108.7
Com 138	4061	3/	./4	.	116	236	.86	.78	28.4	49.9	14.2	5.4	22.4	21.9	22.6	23.9	95.2	1.0	1.5	1.5	41.0	.33	3.66	126.73	110.1
Com 139	4064	3/	./4	.	133	253	.86	.78	28.2	46.2	13.0	5.9	22.8	21.2	22.6	25.3	95.5	1.0	1.2	1.5	43.0	.32	4.18	122.19	106.2
Com 140	4065	3/	./4	.	132	232	.71	.65	23.4	45.8	10.7	5.1	21.7	18.8	22.2	24.7	98.8	0.9	1.0	1.5	37.5	.42	4.36	109.91	95.5
Com 141	4066	3/	./4	.	110	220	.79	.72	24.2	48.2	11.6	6.8	20.6	19.1	22.0	23.7	99.1	1.8	1.3	1.5	35.5	.31	2.90	122.19	106.2
Com 142	4068	3/	./4	.	115	223	.77	.70	24.2	43.3	10.5	5.3	21.2	19.1	20.9	22.3	98.8	1.9	1.3	1.8	43.0	.27	3.20	114.02	99.1
Com 143	4080	3/	./4	.	106	227	.86	.78	28.8	49.8	14.3	6.1	20.8	19.8	20.6	22.9	98.9	0.9	1.7	1.7	34.0	.23	4.09	135.27	117.5
Com 144	4081	3/	./4	.	112	197*	.61	.54	24.4	45.4	11.1	4.8	22.0	20.1	22.4	23.9	97.2	1.7	1.1	1.9	35.5	.28	3.23	101.31	88.0
Com 145	4090	3/	./4	.	118	237	.85	.78	25.3	52.2	13.2	5.9	22.9	18.4	22.7	24.7	97.0	0.7	1.2	1.8	38.5	.32	3.98	126.07	109.5
Com 146	4095	3/	./4	.	138	276	.99	.93	20.3	48.8	9.9	5.6	19.8	19.4	20.7	23.3	99.5	1.0	1.6	1.1	41.5	.38	3.50	129.53	112.6
Sire:TAES 7570																									
Com 147	4003	3/	./4	.	123	244	.86	.78	28.7	49.9	14.3	6.1	22.2	20.0	23.4	26.4	96.7	1.3	1.2	1.4	39.5	.37	2.99	131.01	113.8
Com 149	4007	3/	./4	.	130	238	.77	.70	27.2	53.1	14.4	6.3	19.8	18.7	20.3	22.1	99.6	1.3	1.1	1.3	41.0	.36	3.30	134.58	116.9
Com 150	4015	3/	./4	.	127	263	.97	.90	25.7	49.3	12.7	5.4	19.0	21.9	20.1	23.1	99.6	1.0	1.1	1.5	42.5	.39	3.33	135.18	117.5
Com 151	4016	3/	./4	.	119	242	.88	.82	22.2	50.3	11.2	5.4	19.4	21.1	19.1	20.0	99.5	0.9	1.3	1.2	37.5	.29	3.98	125.59	109.1
Com 152	4019	3/	./4	.	125	225	.71	.65	24.4	46.9	11.5	5.5	21.2	19.8	21.4	24.5	98.2	0.8	1.3	1.1	39.0	.32	2.81	114.50	99.5
Com 153	4020	3/	./4	.	104	230	.90	.83	24.4	52.4	12.8	5.8	20.6	18.5	21.4	23.9	99.4	1.9	1.3	1.1	41.5	.33	3.30	134.40	116.8
Com 154	4021	3/	./4	.	89*	199*	.79	.73	21.5	48.6	10.5	5.6	19.9	17.4	19.0	20.8	99.5	1.2	1.6	1.5	38.0	.28	2.90	121.29	105.4

P before the test number designates a Polled ram
 * after a value indicates reason this ram was not eligible for certification

R e g No.	Flock No.	Birth date	Birth type	Age Dam	Start 9/29	Final 2/16	ADG		Fleece			Fiber Diameter, microns		Scores			Scrot. circ.	Fat Depth	Ribeye Area	ROM Index	Ribe y e I n d e x R a t i o					
							Total lbs	Body lbs	Gr. Wt.	Yield (%)	Clean Wt.	Stap. len.	Core AFD	CV	Side %	Britch (%)						Comfort Cover	Face Wool	Belly Folds	Body Wool	

Pen 32 Powell, James L., FT. MCKAVETT																										
Sire:																										
Com 155	501	2/	.4	TW	.	107	231	.89	.82	25.0	48.5	12.1	5.4	23.1	21.2	23.1	26.3	94.2	0.8	1.1	1.6	40.5	.37	3.38	119.44	103.8
Com 156	502	2/	.4	TW	.	109	243	.96	.88	29.2	51.9	15.2	6.2	24.2*	19.6	24.1	26.3	93.7	0.8	1.1	1.8	38.0	.32	3.48	134.32	116.7
Com 157	503	2/	.4	TW	.	116	244	.91	.83	29.5	49.7	14.7	5.9	23.1	19.3	23.9	25.2	96.1	1.1	1.1	2.1	37.5	.28	3.02	133.24	115.8
Com 158	505	2/	.4	TW	.	117	222	.75	.69	23.2	49.5	11.5	5.0	23.4	18.6	23.6	25.9	95.9	0.5	1.0	1.6	38.0	.26	2.91	110.05	95.6
Com 159	506	2/	.4	TW	.	122	247	.89	.83	23.9	48.0	11.4	5.8	20.8	20.9	21.5	21.5	98.5	0.6	1.1	1.4	40.0	.32	4.16	125.13	108.7
Com 160	507	2/	.4	TW	.	119	230	.79	.73	21.8	47.7	10.4	5.8	23.3	22.5	23.1	24.7	96.0	1.0	1.2	1.1	40.0	.29	3.32	105.87	92.0
Com 161	508	2/	.4	S	.	122	222	.71	.65	23.3	41.0	9.6	4.8	24.3*	20.6	24.2	28.8*	92.9	1.0	1.2	1.3	39.0	.40	3.46	94.26	81.9
Com 162	509	2/	.4	S	.	126	228	.73	.67	20.0	43.0	8.6*	4.3	22.7	17.9	22.0	26.9	97.3	0.6	1.1	1.5	38.0	.26	3.70	97.80	85.0
Com 163	510	2/	.4	S	.	120	224	.74	.68	23.1	48.7	11.3	5.1	22.9	18.7	23.6	25.5	96.7	1.0	1.4	1.5	40.5	.22	3.65	110.37	95.9
Com 164	511	2/	.4	S	.	146	255	.78	.72	22.8	42.4	9.7	4.7	22.0	18.7	22.7	25.0	97.6	1.2	1.2	1.5	42.0	.27	3.40	107.07	93.0
Com 165	512	2/	.4	S	.	123	197*	.53*	.48	18.8	48.2	9.1	5.2	21.1	20.1	20.3	24.0	97.9	0.6	1.7	1.3	38.0	.25	3.42	93.49	81.2
Com 166	513	2/	.4	S	.	124	216	.66	.60	20.1	45.5	9.1	5.0	22.3	19.4	23.7	26.0	97.4	1.2	1.0	1.6	40.0	.23	3.42	97.66	84.9
Com 167	514	2/	.4	S	.	109	177*	.49*	.44	17.8	52.4	9.3	4.9	21.9	19.0	22.8	24.0	97.8	3.1*	1.2	1.2	33.5	.24	3.63	89.98	78.2
Com 168	515	2/	.4	S	.	132	238	.76	.69	25.4	43.2	11.0	5.1	22.2	19.4	21.9	25.6	97.5	0.7	1.1	1.4	37.0	.32	3.22	110.74	96.2
Com 169	516	2/	.4	S	.	142	213	.51*	.46	18.7	36.5	6.8*	4.8	23.5	16.3	23.8	27.6	96.2	0.8	1.5	1.6	37.5	.33	3.08	77.08	67.0
Com 170	517	2/	.4	S	.	138	236	.70	.65	18.2	48.4	8.8*	5.8	21.0	19.8	21.6	26.8	98.4	1.0	1.3	1.3	38.5	.33	3.29	104.69	91.0
Com 171	518	2/	.4	S	.	129	228	.71	.65	20.8	55.4	11.5	5.4	25.7*	19.5	26.4*	29.3*	84.2	1.5	1.1	1.6	40.5	.25	3.51	103.69	90.1
Com 172	519	2/	.4	S	.	132	230	.70	.64	23.1	45.7	10.6	5.4	22.3	17.2	22.6	25.2	97.9	1.0	2.2	1.6	40.5	.42	3.29	108.80	94.5
Com 173	520	2/	.4	S	.	120	233	.81	.75	21.6	51.4	11.1	5.9	21.9	21.1	22.4	24.6	96.6	0.6	1.1	1.3	40.0	.33	3.42	115.58	100.4
Com 174	521	2/	.4	S	.	129	235	.76	.69	24.5	43.1	10.6	4.7	23.3	18.7	23.7	25.9	96.3	1.1	1.3	1.5	40.0	.23	3.25	105.52	91.7
Com 175	522	2/	.4	S	.	129	229	.71	.65	23.4	43.8	10.2	5.0	23.0	19.9	23.2	24.2	95.2	1.6	1.6	1.3	38.0	.30	3.18	102.36	88.9
Com 176	523	2/	.4	S	.	123	225	.73	.68	18.9	44.8	8.5*	5.2	21.0	21.6	21.5	24.8	98.7	0.6	1.0	1.2	36.5	.31	3.39	101.58	88.3
Com 177	524	2/	.4	S	.	157	257	.71	.67	17.2	44.5	7.7*	4.3	19.8	17.6	20.6	22.4	99.7	0.8	1.2	1.1	35.0	.27	3.26	101.89	88.5
Com 178	525	2/	.4	S	.	137	230	.66	.60	22.9	43.8	10.0	5.0	22.3	21.4	23.4	25.3	96.9	0.5	1.0	1.5	41.5	.28	3.26	98.62	85.7
Com 179	526	2/	.4	S	.	127	221	.67	.61	20.9	52.2	10.9	5.6	22.2	18.1	22.9	24.9	98.4	1.1	1.1	1.3	39.5	.33	3.13	109.44	95.1
Com 180	527	2/	.4	S	.	122	210	.63	.58	18.5	49.7	9.2	5.4	21.6	18.5	23.5	24.9	98.3	1.0	1.0	1.3	36.5	.30	3.06	101.11	87.9
Com 181	528	2/	.4	S	.	115	171*	.40*	.36	14.6	49.4	7.2*	4.7	21.6	17.9	20.3	22.4	98.5	0.9	1.6	1.7	32.5	.20	3.12	78.04	67.8
Com 182	529	2/	.4	S	.	128	219	.65	.61	14.8	42.6	6.3*	4.8	21.1	21.2	22.9	26.4	98.2	1.1	1.6	1.3	40.5	.31	3.86	87.46	76.0
Com 183	530	2/	.4	S	.	135	249	.81	.75	22.3	50.5	11.2	5.6	24.8*	18.7	24.9	27.6	90.3	0.8	1.3	1.6	38.5	.31	3.51	110.48	96.0
Com 184	531	2/	.4	S	.	120	237	.84	.77	25.0	48.2	12.1	5.3	22.7	20.7	22.5	25.2	96.0	1.0	1.3	1.4	37.5	.35	3.49	117.43	102.0
Com 185	532	2/	.4	S	.	128	234	.76	.69	22.5	40.6	9.1	5.4	22.4	22.5	22.6	23.9	96.7	0.7	1.3	1.4	38.0	.30	2.81	100.72	87.5
Com 186	533	2/	.4	S	.	117	241	.89	.83	21.5	43.0	9.2	5.2	21.8	20.9	21.9	26.3	97.4	1.0	1.3	1.2	39.5	.33	4.12	112.02	97.3
Com 187	534	2/	.4	S	.	119	199*	.57	.52	17.4	51.8	9.0	4.9	22.0	16.5	20.9	22.8	98.9	1.0	1.8	1.3	35.5	.29	3.59	94.86	82.4
Com 188	535	2/	.4	S	.	116	206	.64	.59	18.6	45.9	8.6*	4.9	22.9	22.3	21.7	24.9	95.6	1.0	1.1	1.7	38.0	.36	2.65	89.03	77.4
Com 189	536	2/	.4	S	.	115	234	.85	.78	23.6	48.3	11.4	4.7	23.0	19.6	23.3	25.4	96.0	1.2	1.3	1.7	37.0	.32	3.66	114.26	99.3
Com 190	537	2/	.4	S	.	112	224	.80	.74	23.0	46.1	10.6	5.4	23.3	25.0	23.0	26.0	94.6	0.5	1.0	1.2	37.5	.35	3.81	103.52	89.9
Com 191	538	2/	.4	S	.	121	204	.59	.54	18.1	47.3	8.5*	5.0	21.5	19.9	22.0	24.4	98.0	0.8	1.7	1.1	38.5	.27	3.69	93.82	81.5
Com 192	539	2/	.4	S	.	130	224	.67	.62	19.4	47.9	9.3	4.7	24.1*	24.2	24.7	27.3	93.2	1.2	1.0	1.3	41.0	.38	3.71	86.49	75.1
Com 193	540	2/	.4	S	.	119	226	.76	.71	18.7	48.0	9.0*	5.4	20.4	18.6	20.2	22.0	98.8	0.6	1.6	1.3	38.5	.25	3.35	112.32	97.6
Com 194	541	2/	.4	S	.	125	228	.74	.68	21.5	45.6	9.8	5.4	20.7	17.6	20.3	22.7	98.9	0.7	1.1	1.4	37.5	.38	3.02	113.13	98.3
Com 195	542	2/	.4	S	.	100	195*	.68	.63	18.3	48.1	8.8*	5.1	21.1	20.6	21.3	25.3	98.4	0.9	1.3	1.4	38.0	.36	3.61	100.36	87.2
Com 196	543	2/	.4	S	.	128	220	.66	.60	21.1	43.9	9.3	4.7	23.0	18.0	23.8	26.1	96.2	0.9	1.5	1.4	35.5	.35	2.90	96.53	83.9
Com 197	544	2/	.4	S	.	118	222	.74	.69	20.6	46.3	9.5	5.5	20.4	20.4	20.1	21.9	99.1	0.9	1.1	1.5	38.0	.25	3.03	110.92	96.4
Com 198	545	2/	.4	S	.	116	196*	.57	.52	19.9	54.1	10.8	5.4	23.7	18.2	23.4	27.8	95.2	0.7	1.1	1.6	40.5	.29	3.34	98.12	85.3
Com 200	547	2/	.4	S	.	122	219	.69	.62	25.5	46.9	12.0	5.7	22.7	23.2	22.7	25.5	95.9	1.0	1.0	1.5	37.5	.25	3.37	106.44	92.5

P before the test number designates a Polled ram
 * after a value indicates reason this ram was not eligible for certification